CUMULATIVE INDEX 1994

Volume 24

January	EXOTIC PET MEDICINE II, pages 1–224
March	SURGICAL STAPLING, pages 225–429
May	THYROID DISORDERS, pages 431–628
July	IMMUNE-ASSOCIATED DISEASES AND NONDERMATOLOGIC ALLERGY, pages 629–788
September	EAR, NOSE, AND THROAT, pages 789–996
November	EMERGENCY MEDICINE, pages 997–1274

Note: Page numbers of issue and article titles are in **boldface** type.

A-B-Cs, of emergencies, 1000–1002
Abdomen, acute, **1207–1223**. See also *Acute abdomen.*
  evaluation of, in acute vomiting, 1195, 1200
  packing of, in abdominal hemorrhage, 1111–1112
  physical examination of, 1211
Abdominal hemorrhage, diagnosis of, 1108–1109
Abdominal mass, in ferrets, differential diagnosis of, 8
Abdominal pain. See *Acute abdomen.*
Abdominocentesis, for acute abdomen, 1213–1214
Abortion, spontaneous, 1185
Abscesses, in pet rabbits, 55–56
Acepromazine, for injured wildlife, 192
Acetaminophen, as toxin, effects and treatment of, 1134
Acetic acid, for otitis externa, 929
Acetylcholine receptors, deficiency of, and myasthenia gravis, 703
Acid-base balance, abnormalities of, with acute vomiting, 1192
Acoustic reflex testing, in evaluation of deafness, 985–986
Actinic dermatitis, and pinnal disease, 903
  of nasal planum, 891
Activated charcoal, for poison elimination, 1131
Acute abdomen, **1207–1223**
  differential diagnosis of, 1209
  evaluation of, 1208–1212
    abdominocentesis/peritoneal lavage, 1213–1214
    algorithm for, 1210
    computed tomography, 1215
    laboratory, 1212
    ultrasonography, 1215
  management of, 1216–1218
    analgesia, 1219–1220
    exploratory laparotomy, 1218–1219
    indications for surgery, 1218
Acute respiratory distress, **1041–1056**. See also *Respiratory distress.*
Acute vomiting, **1189–1207**. See also *Vomiting.*
Adenocarcinoma, pancreatic, removal of, surgical stapling in, 380
  thyroid, in dog, scintigraphy of, 598–599
Adenoma, thyroid, and canine hypothyroidism, 482
    feline, scintigraphy of, 593–597
Adenovirus 1 infection, and uveitis, in dog, 723
Adnexae, allergic- and immunologic-mediated diseases of, **711–734**
Adrenal cortical disease, in ferrets, 16–17
Adrenergic receptor systems, in hyperthyroidism, 501
  in hypothyroidism, 498
Adrenocorticosteroids, for myasthenia gravis, 745

Adverse reaction, in gastrointestinal allergy, definition of, 656
African hedgehog, 115
Age, effect on thyroid hormone concentrations, 521–522
Agranulocytosis, with methimazole administration, 579
Airway, in life-threatening trauma, algorithm for, 1070
  obstruction of, in acute respiratory distress, 1046–1049
  prehospital first aid for, 1000
  primary survey of, in emergency, 1011–1012
  resuscitation of, in hypovolemic shock, 1023
Airway malformations, in brachycephalic dogs, 862–863
Albumin, in hypovolemic shock, 1025–1026
  in septic shock, 1237
Albumin concentration, serum levels of, normal, 434
Aleutian disease, in ferrets, 20
Allergic contact dermatitis, of nose, 893
Allergic diseases, of pinna, 902
Allergy, and feline rhinitis, 821
  and urinary tract infection, 759
  gastrointestinal, **655–695**
  neurologic manifestations of, **735–748**
Allometric scaling, of energy requirements, in wild mammals, 177–178
Alopecia, in ferrets, differential diagnosis of, 8
  in guinea pigs, 82
  in pet rabbits, differential diagnosis of, 42
  periodic, of pinna, 900–901
Alpha$_1$-protein, serum concentration of, normal, 434
Aminoglycosides, antibiotic, ototoxicity of, 974–975
  for pigeons, 172
Amoxicillin, for pigeons, 172
Amphotericin B, for feline cryptococcosis, 820
  for *Malassezia* otitis externa, 939
Ampicillin, for viral canine rhinitis, 796
Amprolium, for pigeons, 172
Analgesics, for primates, 146–147
Analogue immunoassays, for free thyroid hormone measurement, 527–528
Anamnestic response, in immunity, 638
Anaphylactic hypersensitivity, 639
Anaphylaxis, food, definition of, 656
Anemia, as hematologic emergency, 1139–1152
    bleeding/hemolysis in, 1140
    classification of, 1140–1142
    diagnostic approach to, 1142–1144
    immune-mediated hemolytic, 1145–1152
      clinical presentation of, 1145–1146
      diagnosis of, 1146–1149
      pathophysiology of, 1145
      prognosis of, 1152
      therapy for, 1149–1152
    patient tolerance of, 1139
    severity of, 1139
    treatment of, 1144–1145
  in thyroid disease, 488
Anesthesia, in cesarean section, 1178–1179
Anesthetics, for primates, 146–147
  for wild mammals, calculation of, 178–180
Angioneurotic edema, acute, 722
Animal Welfare Act, pertaining to primates, 125
Anorexia, in pet rabbits, differential diagnosis of, 42
Anthelminthics, for primates, 145–146
Anti-inflammatory preparations, for otitis externa, 943
Antibiotics, for feline plasma cell stomatitis-pharyngitis, 848
  for immune-mediated hemolytic anemia, 1151–1152
  for organ support/protection, in hypovolemic shock, 1030–1031
  for otitis externa, 934, 938
  in acute vomiting, 1203
  in septic shock, 1240–1241
  ototoxic, 974
Anticholinergics, for acute vomiting, 1204–1205
Anticholinesterases, for myasthenia gravis, 745
Anticoagulant(s), as toxins, effects and treatment of, 1134
  ingestion of, screening tests for, 1160
  rodenticide, poisoning with, vitamin K therapy in, 1162
Anticoagulation system, 1153
Antiemetics, for acute vomiting, 1204–1205
Antifungals, for otitis externa, 934
Antigen, in glomerulonephritis, search for, 756
Antihistamines, for atopic blepharitis/conjunctivitis, 718
Antimicrobials, for primates, 144–148
  for wild mammals, calculation of treatment regimens, 178–179
Antineoplastic agents, ototoxic, 974, 977
Antinuclear antibodies, development of, with methimazole administration, 579
Antiplatelet therapy, for glomerulonephritis, 757
Antiprotozoals, for primates, 145–146
Antiseptics, ototoxic, 974, 976–977

Antishock garment, pneumatic, canine, 1104
Antithyroid antibodies, in canine hypothyroidism, 470–471
Antithyroid drugs, for feline hyperthyroidism, 577–580
Apomorphine, for emesis, in poison elimination, 1129
Appendectomy, surgical stapling in, 318, 320
Arachidonic acid metabolites, in sepsis, 1230
Arterial blood gases, assessment of, in life-threatening trauma, 1074
  monitoring of, in head trauma patient, 1087
Arterial pressure, regulation of, systems responsible for, 1017
Arthritis, rheumatoid, **697–701**
  with gastrointestinal allergy, 677
Arytenoid lateralization, unilateral, for laryngeal disease, 864–865
Aspergillosis, and canine rhinitis, 797–798
Asphyxiation, danger of, with tube tracheostomy, 883
Aspiration, with acute vomiting, 1193
Aspirin, buffered, for rheumatoid arthritis, 701
Asthma, and acute respiratory distress, 1048–1049
  with gastrointestinal allergy, 676–677
Astringents, for allergic otitis externa, 942
Ataxia, in thyroid disease, 488
Atopy, and blepharitis, 717–718
  and glomerular injury, 750–751
  and otitis externa, 911, 942–943
Atrial natriuretic factor, in hyperthyroidism, 502
Auditory-evoked responses, in evaluation of deafness, 986–988
Aural hematoma, 897–898
  surgery of, 954–955
    aspiration, 956
    cannula placement, 956–957
    incisional drainage, 957–958
Aurothioglucose, for feline plasma cell stomatitis-pharyngitis, 847
  for rheumatoid arthritis, 701
Autoimmune disease(s), 641
  and chronic interstitial cystitis, 760
  and endocrine disorders, 767–773
  and otitis externa, 912
Autoimmune polyglandular syndromes, 768–769
Azathioprine, for episcleritis, 729
  for immune-mediated hemolytic anemia, 1149
  for immune-mediated thrombocytopenia, 1157
  side effects of, 1150
B cells, functions of, 635–636
Bacteria, and persistent otitis externa, 913
Bacterial infections, in pet rabbits, 41–43
  in pigeons, 162–163
  sneezing and nasal discharge with, 809
Bacterial toxins, target cells for, 1227–1228
Barbering, in guinea pigs, 83
Barbiturates, for head trauma patient, 1087
Beef, gastrointestinal allergy to, 660
Behavior, abnormal, in primates, 139
  changes in, food associated, 741
    with seizures, 738
Bilirubin, elevated, in immune-mediated hemolytic anemia, 1148
Billroth I gastroduodenostomy, surgical approach to, 292
  surgical stapling in, 291–295
    techniques of, 293
Billroth II gastrojejunostomy, surgical stapling in, 295–300
    operative procedure, 296–297
Biologic agents, adverse reactions to, 752–754
Bite wounds, monkey, first-aid for, 142
  prehospital first aid for, 1004
  thoracic, and acute respiratory distress, 1049
Bleeding. See *Hemorrhage*.
Bleeding time, prolonged, drugs inducing, 1160
Blepharitis, atopic, 717–718
  marginal, 719–720
Bloat, in monkeys, 143
Blood glucose, evaluation of, in acute vomiting, 1197
Blood loss, estimates of, 1097
Blood pressure, in septic shock, 1236
  in volume resuscitation, monitoring of, 1028
Blood transfusion, for anemia, 1144
  for disseminated intravascular coagulation, 1164
  for hematologic emergencies, 1165
  for hypovolemic shock, 1025–1026
  for immune-mediated hemolytic anemia, 1151
  potential complications of, 1166
Blood urea nitrogen, evaluation for, in acute vomiting, 1197
Blood vessels, ligation permissible in, 1099
Blunt trauma, life-threatening, 1058
Bone marrow aspiration, in immune-mediated hemolytic anemia, 1148
Brachial plexus neuritis, 744
Brachycephalic dogs, laryngeal disease in, 862–863
Brainstem auditory-evoked responses, in evaluation of deafness, 986–988
Breathing, in life-threatening trauma, algorithm for, 1072–1075

Breathing *(Continued)*
patterns of, diagnostic indications of, 1043
in acute respiratory distress, 1044
prehospital first aid for, 1000–1001
primary survey of, in emergency, 1012
resuscitation of, in hypovolemic shock, 1023
Breed(s), canine hypothyroidism in, 478
effect on thyroid hormone concentrations, 522
Bronchoalveolar carcinoma, removal of, stapling technique for, 349, 360–361, 364
Bronchoconstriction, with gastrointestinal allergy, 676–677
Bronchogenic carcinoma, removal of, stapling technique for, 347–354
Bronchopneumonia, bacterial, and acute respiratory distress, 1053
Bryan's test, in gastrointestinal allergy diagnosis, 686
Bulla osteotomy, lateral, for otitis externa, 965–968
Bullous oculocutaneous diseases, 721
Burns, prehospital first aid for, 1005
Bypass enteroenterostomy, surgical stapling in, 318–319

C3 deficiency, as primary immunodeficiency disease, 649
Calcium, excessive loss of, and eclampsia, 1179
Calcivirus, feline, and rhinitis, 814
Canine dermatomyositis, 708–710
Canine distemper, and encephalomyelitis, 744
and rhinitis, 795
in ferrets, 16
Canine rhinitis, **789–805**. See also *Rhinitis.*
Cannula, placement of, for aural hematoma, 956–957
Capture equipment, for wildlife, sources of, 213–214
Carbenicillin, for pigeons, 172
Carbon monoxide, as toxin, effects and treatment of, 1134
Carcinoma, esophageal, removal of, surgical stapling in, 398
of thyroid gland, and canine hypothyroidism, 481
Cardiomegaly, in hyperthyroidism, 503
Cardiomyopathy, dilated, hypothyroidism in, 499–500
in ferrets, 11–12
Cardiopulmonary arrest, trauma-induced, resuscitative thoracotomy for, 1088–1092
Cardiopulmonary cerebral resuscitation, in emergency, 1013
Cardiovascular surgery, surgical stapling devices in, 243, **367–374**
ligation and division stapler, 368–370
thoracoabdominal stapler, 370–372
vascular clips, 367–368
vascular ring anastomosis for, 372–374
Cardiovascular system, abnormalities of, in septic shock, 1231
effects of thyroid hormone on, **495–507**
evaluation of, in acute vomiting, 1194–1195
extrinsic and intrinsic control of, 1016–1018
monitoring of, in toxicities, 1133
physiology of, 1015–1019
prehospital first aid for, 1001–1002
primary survey of, in emergency, 1012–1013
support drugs for, in hypovolemic shock, 1031–1032
Carnidazole, for pigeons, 171
Carotid artery, digital pressure on, for facial hemorrhage, 1102
Cat(s), congenital hypothyroidism in, scintigraphy of, 599–600
deafness in, **981–989**
hypocalcemia in, with bilateral thyroidectomy, 614–615
hypoparathyroidism in, with bilateral thyroidectomy, 614–615
laryngeal disease in, **855–871**
nonthyroidal disorders in, thyroid hormone levels in, 455
normal thyroid imaging in, 590
rhinitis in, **807–823**. See also *Rhinitis.*
sneezing and nasal discharge in, causes of, 808–811
thyroid diseases of, epidemiology of, **477–486**
thyroidectomy in, 610–617
postoperative management of, 614–616
tracheostomy in, **873–886**
Cataract, with phacolytic uveitis, 727
Cauda equina, neuritis of, in horse, 744
Cecectomy, surgical stapling in, 318, 320
Cefadroxil, for pigeons, 171
Cefataxime, for pigeons, 171
Ceftidime, for pigeons, 171
Cell-mediated hypersensitivity, 640
Cellular metabolism, effects of hypoxia on, 1021
in hypovolemic shock, 1019
Cellulitis, juvenile, and otitis externa, 912–913

Central nervous system, biomediators of, 736–737
monitoring of, in toxicities, 1133
Central venous pressure, in life-threatening trauma, measurement of, 1080
in volume resuscitation, monitoring of, 1028–1029
Cephalexin, for pigeons, 170
Cerumen, production of, 906
Cerumenolytics, for otitis externa, 926–927
Cervical swelling, with thyroid carcinoma, in dog, 617–618
Cesarean section, 1178–1179
surgical stapling in, 389
Chalazion, treatment of, 721
Charcoal, activated, for poison elimination, 1131
Chediak-Higashi syndrome, as primary immunodeficiency disease, 646
"Cherry eye," in pet rabbits, 63
Chest, radiography of, in laryngeal disease, 859
Chest wall, injury to, and acute respiratory distress, 1049–1054
Cheyletiella, in pet rabbits, 46–47
Chinchillas, **103–111**
anatomy of, 104
biologic characteristics of, 103
chemical restraint of, 105–107
convulsions in, 109–110
dental disease in, 108
diet for, 105
drug administration/venipuncture in, 107
drug doses for, 106
gastrointestinal disorders in, 108–109
heat stroke in, 110
housing of, 104–105
integumentary disorders in, 107–108
neurologic disorders in, 109–110
physical examination and restraint of, 105
reproduction in, 104
respiratory disease in, 108
Chloramphenicol, for bacterial otitis externa, 935–937
for pigeons, 170–171
for viral canine rhinitis, 796
ototoxicity of, 975
Chlorhexidine, for otitis externa, 928
ototoxicity of, 976
Chlortetracycline, for pigeons, 171
Cholecalciferol, as toxin, effects and treatment of, 1134
Chronic obstructive pulmonary disease, and acute respiratory distress, 1048–1049
Ciliary dyskinesia, primary, canine rhinitis in, 803
Circular end-to-end anastomotic stapler, 268–270
Circulation, in life-threatening trauma, algorithm for, 1075–1083
primary survey of, in emergency, 1012–1013
resuscitation of, in hypovolemic shock, 1023–1032
monitoring success of, 1028–1029
Clavulinic acid, for pigeons, 172
Clazoril, for pigeons, 171
Cleft palate, 832–833
sneezing and nasal discharge in, 808
Climatic variations, and otitis externa, 908–909
Clotrimazole, for *Malassezia* otitis externa, 939–940
Coagulation, classic cascade of, 1154
in septic shock, 1238–1239
tests of, in disseminated intravascular coagulation, 1164
screening, 1160
Coagulopathies, as hematologic emergencies, 1152–1153
coagulation factor-associated, 1158–1161
platelet-associated, 1155–1157
vessel-associated, 1154–1155
vitamin K-deficient, 1161–1163
sneezing and nasal discharge with, 810
Coccidia, in pet rabbits, 48–49
in pigeons, 164–165
Cocker Spaniel, idiopathic inflammatory/hyperplastic otitis externa of, 944
Colitis, allergic, 673
hemorrhagic, in gastrointestinal allergy, 659
with food allergy, 671
Colloid(s), for circulatory support, in trauma, 1078
for resuscitation, in hypovolemic shock, 1025–1028
Colloid/hypertonic saline infusion, guidelines for, 1027
Colocolostomy, stapled, appearance of, 328
Colon, staple anastomosis of, 271
in large dog, 329–330
Colostrum, failure to receive, as secondary immunodeficiency disease, 650
Compartment, definition of, 465
Congestive heart failure, and acute respiratory distress, 1052
in hyperthyroidism, 502
triiodothyronine concentrations in, 569
Conjunctiva, canine follicular hyperplasia of, 715–716
immunologic function in, 714–715
medication-associated contact irritation of, 716–717

Conjunctivitis, atopic, 717–718
canine follicular, 715–716
feline papillary, 716
in pet rabbits, 61–62
Contact allergy, and persistent otitis externa, 914–915
of nose, 893
Convulsions, in chinchillas, 109–110
Coombs test, in immune-mediated hemolytic anemia, 1148
Cornea, immunologic function in, 717
Coronavirus, in pet rabbits, 45
Corrosives, ingestion of, management of, 1132–1134
Corticosteroids, for atopic blepharitis/conjunctivitis, 718
for feline plasma cell stomatitis-pharyngitis, 847
for glomerulonephritis, 756
for otitis externa, 934
for phacolytic uveitis, 727
for viral feline rhinitis, 817
Counterpressure, for abdominal hemorrhage, 1110
Cow's milk, gastrointestinal allergy to, 660
Craniotomy, in head trauma patient, 1086
Crash cart, layout of, 1011
Cricopharyngeal dysphagia, 836–837
Cryptococcosis, and fungal feline rhinitis, 818–819
Crystalloids, for acute vomiting, 1202–1203
for circulatory support, in trauma, 1075, 1077
for hypovolemic shock, 1024–1026, 1028
Cyanoacrylic, for hemorrhage control, 1108
Cyclic hormonogenesis, in Gray Collie dogs, 778
Cyclophosphamide, for glomerulonephritis, 756
for immune-mediated hemolytic anemia, 1149
for immune-mediated thrombocytopenia, 1157
for rheumatoid arthritis, 700
side effects of, 1150
Cyclosporine, for immune-mediated hemolytic anemia, 1149
for keratoconjunctivitis sicca, 713
side effects of, 1150
Cystic kidneys, in ferrets, 12–13
Cystic ovaries, in guinea pigs, 79
Cystitis, chronic, immunologic basis of, 760
in guinea pigs, 78–79
Cytokines, actions of, 1229
in acquired immunity, 636–638
Cytotoxic hypersensitivity, 640

Danazol, for immune-mediated thrombocytopenia, 1157
side effects of, 1150
Deafness, **981–989**
causes of, 981–982
clinical evaluation of, 983–984
conduction, evaluation of, 987
electrodiagnostic evaluation of, 984–988
inherited, signalment-specific, 982–983
senile, evaluation of, 987–988
sensorineural, evaluation of, 987
therapeutics for, 988
Decongestants, for viral feline rhinitis, 817
Deer, restraint/handling of, 182–183
Degradation rates, definition of, 465
Dehydration, with acute vomiting, 1192
Delayed hypersensitivity, 640
Demodicosis, and otitis externa, 941
Demyelinating diseases, immunologic mechanisms in, 742
Denans' cylindrical stent-and-ferules technique, 226
Dental disease, and canine rhinitis, 802
and feline rhinitis, 821
in chinchillas, 108
in ferrets, 7–9
in monkeys, 143
in primates, 136
sneezing and nasal discharge with, 810
Dental malocclusion, in guinea pigs, 76–77
in pet rabbits, 49–51
Depigmentation, idiopathic, of nasal planum, 890
Dermatitis, food allergy and, 670
in chinchillas, 107–108
in ferrets, 14–15
in guinea pigs, 82
in pet rabbits, 55–57
in primates, 150–151
Dermatomyositis, 708–710
Dermatophytosis, and pinnal disease, 903
Dexamethasone, for immune-mediated thrombocytopenia, 1157
Dextran, for resuscitation, in hypovolemic shock, 1025, 1027
Diabetes mellitus, immunodeficiency associated with, 777–778
triiodothyronine concentrations in, 569
type I, as autoimmune disorder, 771–772
Dialysis, direct, for free thyroid hormone measurement, 528
Diaphragmatic hernia, and acute respiratory distress, 1051–1052
in life-threatening trauma, management of, 1082
Diaries, in gastrointestinal allergy diagnosis, 680–681
Diarrhea, in ferrets, 8
in guinea pigs, 77–78
in lymphocytic-plasmacytic enteropathy, 673

in pet rabbits, 42, 52–54
Diazepam, for injured wildlife, 192
Dietary trials, for gastrointestinal allergy, intensity levels of, 681
Digestive disorders, in mice, 98
Dimetridazole, for pigeons, 170
Discoid lupus erythematosus, of nasal planum, 888
Disease processes, evaluation for, in acute vomiting, 1195
Dishwashing detergent, liquid, for emesis, in poison elimination, 1129
Disseminated intravascular coagulation, as hematologic emergency, 1159
diseases associated with, 1163
screening tests for, 1160, 1163–1167
Distemper virus, in ferrets, 16
Diuretics, ototoxic, 974, 976
Dog(s), cervical swelling in, with thyroid carcinoma, 617–618
deafness in, **981–989**
hypothyroidism in, **467–476**. See also *Hypothyroidism, canine.*
laryngeal disease in, **855–871**
nonthyroidal disorders in, thyroid hormone levels in, 453–455
pneumatic antishock garment for, 1104
rhinitis in, **789–805**. See also *Rhinitis.*
sneezing and nasal discharge in, causes of, 808–811
thyroid diseases of, epidemiology of, **477–486**
thyroid function in, effect of glucocorticoids on, 523
thyroid imaging in, normal, 590
thyroid surgery in, 617–620
tracheostomy in, **873–886**
Double-blind placebo-controlled food challenge, in gastrointestinal allergy diagnosis, 687–688
Doxycycline, for pigeons, 170
Drains, complications of, 1266
types of, 1267–1268
Drug(s), adverse reactions to, 752–754
dosages of, for wildlife, scaling of, 217–218
in septic shock, 1241
effect on thyroid function in dogs, 523–524
emergency, recommended, 1008, 1010
metabolism of, in septic shock, 1241
Drug eruption, and otitis externa, 912
Dwarfism, immunodeficiency with, 775
Dysphagia, diagnosis of, 837–838
sneezing and nasal discharge with, 808
therapy for, 838–839
Dyspnea, in feline rhinitis, 813
in pet rabbits, 55
radiography in, 859
Dystocia, 1174–1178
cesarean section for, 1178–1179
in guinea pigs, 79
radiographs of, 1176–1177

Ear, hematoma of, 897–898, 954–958. See also *Aural hematoma.*
inner, anatomy and physiology of, 972
margin of, seborrhea of, 899–900
surgery of, **953–969**
surgical anatomy of, 953–955
Ear canal, conformation of, and otitis externa, 908
diseases of, **905–919**
external, physiology of, 905–907
maceration of, and otitis externa, 909
resection of, lateral, complications of, 962
for otitis externa, 949, 960–962
vertical, complications of, 965
for otitis externa, 949, 963–968
total ablation of, for otitis externa, 948, 965–968
with lateral bulla osteotomy, 967–968
Ear cleaning, excessive, and otitis externa, 909
for otitis externa, 925
instructions for, 930
techniques of, 929–931
Ear mites, and otitis externa, 940–941
in pet rabbits, 45–46
Echocardiographic abnormalities, in hyperthyroidism, 503
Eclampsia, 1179–1180
Ectoparasites, in pigeons, 164
Eczema, food allergy and, 670
with gastrointestinal allergy, 659
Electrocardiogram, abnormalities of, in hyperthyroidism, 503
in life-threatening trauma, 1080
Electrodiagnostic evaluation, of deafness, auditory-evoked responses, 986–988
impedance audiometry, 985–986
Electrolytes, abnormalities of, with acute vomiting, 1192, 1197
in septic shock, 1238
Electromyography, for myasthenia gravis, 704–705
Electrosurgery, for hemorrhage control, 1108
Elimination diets, in gastrointestinal allergy diagnosis, 681–684
Emergency(ies), cardiopulmonary cerebral resuscitation in, 1013
first aid, triage, and transport in, **997–1014**
hematologic, **1139–1172**
hospital and staff readiness for, 1007

Emergency(ies) *(Continued)*
immediate transport required in, 999
prehospital first aid for, 1000–1006
prehospital information in, 997–1000
primary survey in, 1011–1013
airway, 1011–1012
breathing, 1012
cardiovascular and circulation, 1012–1013
secondary survey and definitive care in, 1013–1014
telephone calls concerning, questions to ask, 997–1000
Emergency drugs, recommended, 1008, 1010
Emergency equipment, recommended, 1008–1009, 1011
Emesis, for poison elimination, 1129
for toxicities, contraindications to, 1124
Encephalitozoonosis, in pet rabbits, 47–48
Encephalomyelitis, canine distemper and, 744
End-to-end anastomotic (EEA) stapler, 267–276
application of, 270–273
for acquired megacolon in cat, 324
for Billroth I gastroduodenostomy, 293–294
for esophageal anastomosis, 397–401
for esophagogastric anastomosis, 403
for small intestinal anastomosis, 306, 308
lines, dimensions, and configurations of, 325
Endocrine system, diseases of, in primates, 148–149
disorders of, autoimmunity and, 767–773
function of, role of thymus in, 774
immunity and, **765–782**
Endocrinopathies, immunodeficiency secondary to, 773–778
Endometritis, postpartum, 1180
Endoparasites, in pigeons, 163–164
Endophthalmitis, in pet rabbits, 62
Endoscopic surgery, surgical stapling in, in small animals, 243–244
Endoscopic tests, in gastrointestinal allergy diagnosis, 686
Endotoxemia, evaluation for, in acute vomiting, 1195
Endotracheal intubation, in life-threatening trauma, 1071
Enilconazole, for mycotic canine rhinitis, 799
Enrofloxacin, for pigeons, 169
Enteritis, eosinophilic, in inflammatory bowel disease, 673–675
with food allergy, 671
Enteroenterostomy, bypass, surgical stapling in, 318–319
Enterogastric lavage, for poison elimination, 1130
Enteropathy, gluten sensitive, 671–672
Enuresis, with food allergy, 677
Eosinophilia, in inflammatory bowel disease, 673–674
Eosinophilic granuloma, oral, canine, 845–846
Epidermal growth factor, and thyrocyte proliferation, in feline toxic nodular goiter, 556
Episcleritis, immunologically mediated, 728–731
Epithelial migration, and self-cleaning of ear, 906–907
Epulis, 844
Equipment, emergency, recommended, 1008–1009, 1011
Ermine, energy requirements of, 177
physiologic variables in, scaling of, 180
Erythrocytes, autoagglutination of, in immune-mediated hemolytic anemia, 1147
Erythromycin, for pigeons, 169
ototoxicity of, 975
Esophagogastric anastomosis, surgical stapling for, 401–404
Esophagus, diverticula of, surgical resection and stapling of, 406–411
fistulas of, surgical resection and stapling of, 411
reconstruction of, surgical stapling for, 404
surgery of, surgical stapling in, **395–412**
general considerations in, 395–396
hand suturing vs, 396
techniques of, 396–411
end-to-end anastomosis, 397–401
esophagogastric anastomosis, 401–404
Estrus, abnormal, with hypothyroidism, 512
Ethanol, ototoxicity of, 976
Ethylene glycol, as toxin, effects and treatment of, 1136
Exophthalmos, and masticatory myopathy, in dog, 730–731
Extravascular binding, definition of, 465
Eye, allergic- and immunologic-mediated diseases of, **711–734**
skin and, diseases affecting, 717–722

Facial nerve, anatomy of, 955
palsy of, with total ear canal ablation, 968
Fascia, staple closure of, **413–423**
clinical use of, 419–420

staplers for, 415–418
staples for, 420–422
wound healing and infection with, 418
Fecal parasites, in pet rabbits, differential diagnosis of, 42
Feline polyarthritis, 701
Feline rhinitis, **807–823**. See also *Rhinitis.*
Feline urologic syndrome, autoimmune disease and, 761
Female reproductive tract, emergencies of, **1173–1187**
Fenbendazole, for pigeons, 169–170
Ferrets, **1–23**
anatomy of, 2
clinical techniques in, 5–7
anesthesia, 6–7
aspiration of masses, 6
catheterization, 7
injections, 5–6
physical examination, 6
restraint, 5
venipuncture, 5
common diseases in, 7–21
cardiovascular/respiratory, 11–12
cardiomyopathy, 11–12
heartworm, 12
influenza virus, 12
differential diagnosis of, 8
gastrointestinal, 7–11
dental, 7–9
foreign body obstruction, 9
gastroenteritis, 9–10
internal parasites, 10–11
megaesophagus, 11
proliferative bowel disease, 11
genitourinary tract, 12–14
cystic/polycystic kidneys, 12–13
hyperestrogenism, 13
ovarian remnant, 14
renal/cystic calculi and urolithiasis, 14
neurologic, 16
organomegaly/neoplasia, 16–21
adrenal cortical disease, 16–17
Aleutian disease, 20
lymphosarcoma, 19–20
pancreatic beta cell tumors, 17–19
splenomegaly, 20–21
skin, 14–15
external parasites, 14–15
mast cell tumors, 15
mycotic diseases, 15
diet for, 3
housing for, 3
husbandry of, 2–3
preventive health care for, 3–4
taxonomy and history of, 1–2
Fibrinolytic system, 1153
Fibronectin, in rheumatoid arthritis, 698
Fibrosarcoma, pharyngeal, 843–844
Finney pyloroplasty, surgical stapling in, 289–290
First aid, **997–1014**
First aid kit, for pet owners, 998
Flail chest, and acute respiratory distress, 1049
Flea(s), allergy to, and otitis externa, 912
in pet rabbits, 47
Fluconazole, for mycotic canine rhinitis, 799
Flucytosine, for feline cryptococcosis, 820
Fluid(s), administration of, intraosseous, 1024
balance of, in septic shock, 1234–1236
for circulatory support, in life-threatening trauma, 1075
for hypovolemic shock, 1025
Flushing solutions, for otitis externa, 926–929
Fly strike, of pinna, 900
Follicular cells, in feline toxic nodular goiter, autoradiographic assessment of, 554
culture of, 551–553
proliferation of, 550, 555
Folliculitis, eosinophilic, canine, of pinna, 898–899
Food, adverse reactions to, classification of, 657
immune mechanisms in, 658
anaphylactoid reaction to, definition of, 656
for wildlife, sources of, 215–216
metabolic reaction to, definition of, 656
pharmacologic reaction to, 669
definition of, 656
toxic reactions to, 668
Food allergy, 669–679
and glomerular injury, 750–751
and pinnal disease, 902–903
and seizures, 737
definition of, 656
diagnostic tests for, 680
Goldman criteria for, 687
intradermal testing for, 741
offending foods in, 741
Food anaphylaxis, definition of, 656
Food challenge, in gastrointestinal allergy diagnosis, 663
double-blind placebo-controlled, 687–688
open, 688–689
Food diaries, in gastrointestinal allergy diagnosis, 680–681
Food hypersensitivity, definition of, 656
Food idiosyncrasy, definition of, 656
Food intolerance, definition of, 656

Food sensitivity, and otitis externa, 911, 942–943
Food toxicity (poisoning), definition of, 656
Foreign body(ies), and canine rhinitis, 801–802
  and feline rhinitis, 821
  and otitis externa, 911
  and retropharyngeal abscess, 831–832
  nasal, sneezing and nasal discharge with, 810
  obstruction by, in ferrets, 9
  pharyngeal, 827
Fractional transfer rates, definition of, 465
Fracture(s), management of, in guinea pigs, 81
  osseofascial hemorrhage with, diagnosis and management of, 1118
  prehospital first aid for, 1003–1004
"Free hormone" hypothesis, in thyroid hormone measurement, 524–526
Friedrich instrument, for surgical stapling, 231
Fungal infections, nasal, sneezing and nasal discharge with, 809
Furniss pursestring instrument, for acquired megacolon in cat, 326
  for esophageal anastomosis, 399
  for esophagogastric anastomosis, 402
  for surgical stapling, 272–273
Furosemide, ototoxicity of, 974, 976

Gagging, in feline rhinitis, 812
Gastrectomy, esophagogastric anastomosis with, 402
  stapling instrument for, 280–285
Gastric dilatation-volvulus, partial gastrectomy for, stapling instrument in, 281–285
Gastric emptying, delayed, stapling surgical procedures for, 286–291
Gastric lavage, for poison elimination, 1130
Gastric neoplasia, malignant, partial gastrectomy for, stapling instrument in, 285–286
Gastric surgery, with surgical stapling instruments, **279–303**
Gastric tube, formation of, surgical stapling for, 404–409
Gastric tumor, stapling isolation of, 287–288
Gastric ulcer, excision of, stapling instrument in, 280
Gastritis, eosinophilic, in inflammatory bowel disease, 674
Gastroduodenostomy, complications of, 294
  indications for, 291
  surgical stapling in, 291–295
Gastroenteritis, eosinophilic, in inflammatory bowel disease, 675
  in ferrets, 9–10
  in primates, 139
Gastrointestinal allergy, **655–695**
  clinical syndromes of, 667–679
    food allergy, 669–679
    food intolerance, 668–669
  diagnosis of, 679–690
    confirming tests, 687–690
    screening tests and procedures, 680–687
      controversial tests, 686–687
      diaries, 680–681
      elimination diets, 681–684
      endoscopic tests, 686
      IgE antibody assays, 685
      index tests, 681
      skin testing, 684
  historical background on, 658–661
  incidence of, 661
  mediators of, 666
  standard terminology in, 656
  treatment of, 691
Gastrointestinal anastomotic (GIA) stapler, 263–267
  for Billroth I gastroduodenostomy, 293
  for gastric tube formation, 405, 407–409
  for partial gastrectomy, 282–285
  for permanent gastrostomy tube placement, 300
  for small intestinal anastomosis, 309–320
  staple line created by, 283
Gastrointestinal bleeding, surgery for, stapling instrument in, 280
Gastrointestinal disorders, in chinchillas, 108–109
  in ferrets, 7–11
  in gerbils, 100
  in guinea pigs, 76–78
  in hamsters, 99
  in hedgehogs, 119
  in pet rabbits, 49–54
  in primates, 139–148
  in rats, 96
  with food allergy, 671–676
Gastrointestinal inflammation, and acute vomiting, 1191
  mediators of, 667
Gastrointestinal motility, in septic shock, 1241
Gastrointestinal obstruction, and acute vomiting, 1191
Gastrointestinal tolerance, development of, 667
Gastrointestinal tract, poison absorption by, elimination of, 1128–1129
  surgical stapling of, 242–243

Gastrojejunostomy, complications of, 299
surgical stapling in, 295–300
Gastrostomy tube, placement of, stapling instrument in, 281
surgical stapling in, 300–301
Gastrotomy, emergency, stapling instrument in, 280
Genitourinary disorders, in ferrets, 12–14
Gentamicin, for bacterial otitis externa, 936
Gerbils, diseases and treatments in, 100–101
German Shepherd progressive myelopathy, 744
Glomerular injury, atopy and food allergy in, 750–751
immunologic aspects of, 749–750
Glomerulonephritis, complications of, 757
immune-complex, 750
immune intervention in, 756–757
immune-mediated, 755
medical management of, 756–757
Glottic stenosis, 868
Glucocorticoids, and antibody formation, 776–777
effect on thyroid function in dogs, 523
excess of, immunodeficiency associated with, 776–777
for allergic otitis externa, 942
for antibiotic-resistant bacterial otitis externa, 938
for immune-mediated hemolytic anemia, 1149
for *Malassezia* otitis externa, 939
for organ support/protection, in hypovolemic shock, 1030
for viral feline rhinitis, 817
Glucose, in septic shock, 1238
Gluten-sensitive enteropathy, 671–672
Goiter, toxic nodular, feline, **541–565**
autoradiographic findings in, 548–549
cell lines established from, 556–557
future research directions in, 561
histologic findings in, 547–548
history of, 546–547
in vitro studies of, 551–556
key observations in, 546–561
proliferation studies in vitro, 556
xenotransplantation studies in, 549–551
Goitrogens, possible role in feline hyperthyroidism, 560–561
Goldman criteria, for food hypersensitivity, 687
Granulocytopathy syndrome, canine, as primary immunodeficiency disease, 647–648
Granuloma, eosinophilic, oral, canine, 845–846
idiopathic sterile, of nasal planum, 893–894
laryngeal, 868–868
Gray Collie dogs, cyclic hormonogenesis in, 778
Growth factors, in wound healing, 1252
Growth hormone, effect of thymus on, 774–775
Guinea pigs, **67–87**
anesthesia in, 73–74
antibiotic toxicity in, 73
biological characteristics of, 67–69
clinical techniques in, 71–73
common diseases in, 74–85
cutaneous masses, 83–84
gastrointestinal, 76–78
integumentary, 82–83
musculoskeletal, 80–82
respiratory, 74–76
urogenital, 78–80
diet for, 69–71
food for, vitamin C content of, 71
management of, 69
physiologic values for, 70
Gut, immunology of, 661–667
antigen uptake by, 661–662
food as antigens, 662–664
mucosal immunity, 664–667
Gut-associated lymphoid tissue, in gastrointestinal allergy, 665

Hair loss. See *Alopecia*.
Hamsters, diseases and treatments in, 98–100
Hand grip, for skin and fascia staplers, 415–418
Handling tools, for wildlife, sources of, 214
Hard palate, defect of, and canine rhinitis, 802–803
Head tilt, in pet rabbits, 60–61
Head trauma, life-threatening, disability in, algorithm for, 1084
Hearing, loss of, clinical evaluation of, 983–984
normal, 981
Heart, effects of thyroid hormone on, 496
Heart failure, in life-threatening trauma, management of, 1081
Heart function, in septic shock, 1237
Heart rate, prehospital first aid for, 1001–1002
Heartworm, in ferrets, 12
Heat stroke, in chinchillas, 110
Heating units, for wildlife, sources of, 214
Hedgehogs, **113–120**
African, 115
anatomy of, 114–115

Hedgehogs *(Continued)*
biological characteristics of, 113–114
captive management of, 116
chemical restraint of, 116–117
diet of, 116
diseases and conditions in, 117–119
drug administration/venipuncture in, 117
gastrointestinal disorders in, 119
housing of, 116
integumentary disorders in, 118
neoplasia in, 119
parasites in, 117–118
physical examination and restraint of, 116
reproduction in, 115
respiratory diseases in, 118–119
Heinecke-Mikulicz pyloroplasty, surgical stapling in, 288–289
Hematologic emergencies, **1139–1172**
coagulopathies, 1152–1153
coagulation factor-associated, 1158–1161
platelet-associated, 1155–1157
vessel-associated, 1154–1155
vitamin K-deficient, 1161–1163
thrombosis, 1167–1168
Hematoma, aural, 897–898, 954–958. See also *Aural hematoma.*
Hematopoiesis, canine cyclic, as primary immunodeficiency disease, 646–647
Hematuria, in pet rabbits, differential diagnosis of, 42
Hemoabdomen, surgical exploration for, indications for, 1111
Hemoclips, for ovariohysterectomy, 386
Hemoglobin concentration, in septic shock, 1239
Hemoglobinuria, in immune-mediated hemolytic anemia, 1148
Hemoproteus, in pigeons, 165–166
Hemorrhage, abdominal, diagnosis of, 1108–1109
estimation of blood loss in, 1109
nonsurgical treatment of, 1110
surgical approach to, 1119
surgical treatment of, 1110–1115
approach to, 1110–1116, 1119
indications for, 1111
liver, 1112–1114
renal, 1115
retroperitoneal, 1114–1115
spleen, 1114
as hematologic emergency, 1159
assessment and management of, **1095–1122**
general principles of, 1095–1101
autotransfusion, 1101
classification, 1097–1098
early care procedures, 1098–1099
immediate operative intervention, 1100
importance of early control, 1095–1096
resuscitation, 1096–1097
blood loss in, estimates of, 1097
catastrophic, treatment of, 1098
classification of, 1097–1098
control of, 1101–1108
cyanoacrylic, 1108
direct pressure, 1101–1102
electrosurgery, 1108
external counterpressure, 1103–1105
hemostat, 1106
in life-threatening trauma, 1077
laser, 1108
ligation, 1105–1106
pressure cuffs and tourniquets, 1103
pressure points, 1102
stapling, 1108
stick tying, 1106–1107
vascular loops and clamps, 1105
fascial, 1118–1119
intrapulmonic, treatment of, 1116
nasal, 1120
osseofascial, diagnosis and management of, 1118
postpartum, 1185
prehospital first aid for, 1002
resuscitation from, in hypovolemic shock, 1023
surgical trauma pack for, 1100
thoracic, diagnosis of, 1115
treatment of, 1116–1118
Hemorrhagic disease, viral, in pet rabbits, 44–45
Hemostasis, process of, 1152–1153
Hemostat, for hemorrhage control, 1106
Hemothorax, diagnosis of, 1115
treatment of, 1116–1118
Henroz articulated metal rings, 227
Heparin therapy, for disseminated intravascular coagulation, 1164
Hepatectomy, hemorrhage in, 385
surgical stapling in, 379–386
Hepatocellular carinoma, removal of, surgical stapling in, 381–383
Hepatopathy, triiodothyronine concentrations in, 569
with methimazole administration, 579
Hernia, diaphragmatic, and acute respiratory distress, 1051–1052
in life-threatening trauma, management of, 1082
Herpesvirus, feline, and rhinitis, 814
in pigeons, 160–161
in primates, 138

Hetastarch, for resuscitation, in hypovolemic shock, 1025–1026
Hexamita, in pigeons, 166
High-output state, in hyperthyroidism, 501–502
Histamine, and adverse reaction to food, 669
Histiocytosis, cutaneous, of nasal planum, 893–894
Hormone mass, definition of, 465
Horner's syndrome, with nasopharyngeal polyps, 850–851
Hospital readiness, for emergencies, 1007
Hultl instrument, for surgical stapling, 229
Hydrogen peroxide, for emesis, in poison elimination, 1129
Hyperadrenocorticism, free thyroxine measurement in, 528–529
  immunodeficiency associated with, 776–777
Hypereosinophilic syndrome, in inflammatory bowel disease, 675
Hyperestrogenism, in ferrets, 13
Hyperkeratosis, of nasal planum, 894
Hypersalivation, in ferrets, differential diagnosis of, 8
  in pet rabbits, differential diagnosis of, 42
Hypersensitivity, and otitis externa, 911–912
  food, definition of, 656
Hypersensitivity reactions, in immune response, 638–641
Hypertension, in hyperthyroidism, 502
  systemic, sneezing and nasal discharge with, 810
Hyperthermia, prehospital first aid for, 1004
Hyperthyroidism, 449–450
  adrenergic receptor systems in, 501
  atrial natriuretic factor in, 502
  canine, scintigraphy of, 596, 598–599
  clinical manifestations of, 502–504
  echocardiographic abnormalities in, 503
  effect on heart, 500–504
  electrocardiographic abnormalities in, 503
  feline, **577–585**
    circulating thyroid stimulators in, 558
    diagnostic tests for, **567–576**
    epizootiological studies of, 559–561
    geographic distribution of, 559
    myocardial contractile protein synthesis in, 497–498
    postthyroidectomy recurrence of, 616–617
    radioactive iodine for, 600–603
    role of iodine in, 559–560
    scintigraphy of, 590–596
    surgery for, 580–582
    treatment of, antithyroid drugs, 577–580
      radioactive iodine, 582–584
      surgery, 580–582
  high-output state in, 501–502
  reproductive manifestations of, 509–510
  thyroid hormone kinetics in, 451
Hypertonic saline, for hypovolemic shock, 1025
Hypoadrenocorticism, as autoimmune disorder, 771
Hypocalcemia, with bilateral thyroidectomy, 614–615
Hypogammaglobulinemia of infancy, transient, as primary immunodeficiency disease, 644–645
Hypoparathyroidism, as autoimmune disorder, 770–771
  with bilateral thyroidectomy, 614–615
Hypopyon, in pet rabbits, 62
Hypotension, definition of, in small animals, 1226
Hypothalamic hypothyroidism, canine, 475
Hypothalamic-pituitary-thyroid-extrathyroid axis, comparative aspects of, 516
Hypothyroidism, 449–450
  adrenergic receptor systems in, 498
  and prolactin, 512–513
  as autoimmune disorder, 769–770
  canine, **467–476**
    age at diagnosis, 479
    breeds affected by, 478
    causes of, 517
    clinical manifestations of, 498–499
    clinical pathology of, 518
    congenital, 472–473, 599–600
    diagnosis of, **515–539**
    epidemiology of, 468–469, 478–482
    hypothalamic (tertiary), 475
    iatrogenic, 473–474
    juvenile-onset, 472–473
    pathologic incidence of, 517
    pituitary (secondary), 474
    primary, 469–472, 471
    reproductive manifestations of, 510–513
    scintigraphy of, 600
    thyroid scan of, 601
  congenital, scintigraphy of, 599–600
  diagnosis of, in humans, 524
    therapeutic trial for, 535–536
  effect on heart, 497–500
  feline, congenital, 599–600
    epidemiology of, 482–484
    etiology of, 483–484
  "free hormone" hypothesis of, 524–526

Hypothyroidism *(Continued)*
immunodeficiency associated with, 775–776
myocardial contractile protein synthesis in, 497
nonthyroidal illness vs, thyroid function tests for, 521–527
primary, neurologic manifestations of, 487
role in dilated cardiomyopathy, 499–500
thyroid hormone kinetics in, 451
Hypovolemic shock, **1015–1039**
catastrophic, treatment of, 1034
management of, algorithm for, 1033
nonresponsive, causes of, 1031
pathophysiology of, 1019–1022
compensatory stage, 1019–1020
decompensatory (terminal) stage, 1022
early decompensatory stage, 1020–1022
physiology of, 1015–1019
cellular energy demands, 1019
extrinsic and intrinsic control, 1016–1018
preferred organs, 1018–1019
resuscitation in, 1022–1036
airway, breathing, and bleeding, 1023
circulation, 1023–1032
experience guidelines in, 1035–1036
fluid infusions for, 1025
patient treatment, 1032–1035
volume resuscitation for, 1028–1030
Hypoxia, effects on cellular metabolism, 1021
Hysterectomy, surgical stapling in, 388–389

Idiosyncrasy, food, definition of, 656
IgA, deficiency of, as primary immunodeficiency disease, 643–644
in gastrointestinal allergy, 665
IgE, in gastrointestinal allergy, 665
antibody assays of, 685
Ileocecocolic junction, end-to-end staple anastomosis of, 327
Ileocolic anastomosis, in large dog, surgical stapling in, 330
Immediate hypersensitivity, 639
Immune complex hypersensitivity, 640
Immune mechanisms, nephritogenic, 750–751
Immune-mediated disease, 638–641
of muscle, **703–710**
polyneuropathies, 742–744
Immune status, in septic shock, 1240–1241
Immune system, function of, role of thymus in, 773–774
overview of, **629–653**
Immunity, acquired, 633–636
cells of, 634
cytokines in, 636–638
interleukins in, 637–638
transforming growth factor-β in, 638
tumor necrosis factor in, 638
innate, 629–633
anatomic and physiologic barriers in, 630–631
inflammation in, 631–633
natural killer cells in, 633
phagocytic barriers in, 631
Immunoassays, analogue, for free thyroid hormone measurement, 527–528
Immunodeficiency, 641–651
diagnosis of, 642–643
feline, rhinitis in, 816
overview of, **629–653**
primary, 643–649
C3 deficiency, 649
canine cyclic hematopoiesis, 646–647
canine granulocytopathy syndrome, 647–648
Chediak-Higashi syndrome, 646
leukocyte adhesion deficiency, 648
neutropenia, 646–647
neutrophil deficiencies, 649
selective IgA deficiency, 643–644
transient hypogammaglobulinemia of infancy, 644–645
X-linked severe combined immunodeficiency, 645–646
secondary (acquired), 649–651
failure to receive colostrum, 650
in endocrinopathies, 773–778
infections, 650
metabolic disorders, 651
neoplastic disease, 651
with diabetes mellitus, 777–778
with dwarfism, 775
Immunoendocrinopathy syndrome, 767–769
Immunoglobulin concentrations, in immunodeficiency disease diagnosis, 642
Immunosuppression, for discoid lupus erythematosus, 888
for feline plasma cell stomatitis-pharyngitis, 847
for immune-mediated thrombocytopenia, 1157
in renal transplantation, 757–759
side effects of, 1150
Impedance audiometry, in evaluation of deafness, 985–986
Index tests, in gastrointestinal allergy diagnosis, 681
Infancy, transient hypogammaglobulinemia of, as primary immunodeficiency disease, 644–645

Infection(s), and acute vomiting, 1191
as secondary immunodeficiency disease, 650
definition of, in small animals, 1226
recurrent, in immunodeficiency disease, 641
Infertility, with hypothyroidism, 512
Inflammation, in innate immunity, 631–633
mediators of, 1250
rheumatoid factor and, 698
Inflammatory bowel disease, allergic, 672
triiodothyronine concentrations in, 569
Inflammatory pulmonary disease, triiodothyronine concentrations in, 569
Inflammatory response, definition of, in small animals, 1226
syndrome of, systemic, **1225–1247**. See also *Septic shock*.
Influenza virus, in ferrets, 12
Inner ear, anatomy and physiology of, 972
Integumentary disorders, in chinchillas, 107–108
in ferrets, 14–15
in guinea pigs, 83–83
in hedgehogs, 118
Intensive care units, for wildlife, sources of, 215
Intercalary staphyloma, in dog, 730
Interleukins, in acquired immunity, 637–638
in sepsis, 1230
Interstitial cystitis, chronic, autoimmune disease and, 760
Interstitial fluid, chemical composition of, 438
Intestinal anastomosis, surgical stapling in, inverting end-to-end, 306, 308
side-to-side, 309–320
triangulating end-to-end, 306–307
Intracranial pressure monitoring, in head trauma patient, 1085–1086
Intradermal testing, for gastrointestinal allergy, 658–659
Intrahepatic bleeding, surgical treatment of, 1113–1114
Intranasal neoplasia, canine rhinitis in, 791–793
Intrapulmonic hemorrhage, treatment of, 1116
Intrathoracic mass, removal of, stapling technique for, 360–361, 364
Inverting end-to-end intestinal anastomosis, surgical stapling in, 306, 308
Iodide, peripheral metabolism of, in nonthyroidal disorders, 460
Iodine, metabolism of, in feline toxic nodular goiter, 549–550
normal kinetics of, 443
radioactive, for feline hyperthyroidism, 582–584, 600–603
for thyroid disease, 600–604
role in feline hyperthyroidism, 559–560
stable, for feline hyperthyroidism, 580
Ipecac syrup, for emesis, in poison elimination, 1129
Irritant, contact, and persistent otitis externa, 914–915
Itraconazole, for *Malassezia* otitis externa, 940
for mycotic canine rhinitis, 799
Ivermectin, for *Otodectes cynotis* otitis externa, 940
for pigeons, 170

Janeway gastrostomy, surgical stapling in, 300–301
Jejunal interposition graft, for esophageal anastomosis, 399
Joint capsule biopsy, for rheumatoid arthritis diagnosis, 700

Keratinization, disorders of, and otitis externa, 912
Keratitis sicca, mucous discharge with, 713
Keratoconjunctivitis, atopic, 717
Keratoconjunctivitis sicca, 712–714
Ketamine, for injured wildlife, 192
Ketoconazole, for *Malassezia* otitis externa, 939–940
for mycotic canine rhinitis, 799
Kidney(s). See also under *Renal*.
surgical stapling of, 391
toxic effects of contrast media on, 754
Kindling, with seizure activity, 739

L-Thyroxine. See under *Thyroxine*.
Lacrimal gland, immune-mediated inflammation of, 712
Laparoscopic stapler, 276–277
Laparotomy, for esophagogastric anastomosis, 402
Large intestine, surgical stapling of, **323–333**
Laryngeal disease, **855–871**
diagnosis of, 858–869
history, 858
laboratory tests, 860–861
laryngoscopy, 860
physical examination, 858
radiographic techniques and interpretation, 858–860

Laryngeal disease *(Continued)*
glottic stenosis, 868
granulomatous, 868–868
in brachycephalic dogs, 862–863
inflammatory, 861
neoplastic, 868–868
paralysis, 863
traumatic, 861–862
Laryngectomy, partial, for laryngeal paralysis, 867
total, tracheostomy after, 876
Laryngoscopy, in laryngeal disease, 860
view during, 856
Larynx. See also *Laryngeal disease.*
functional anatomy and physiology of, 855–857
masses of, radiography of, 859
obstruction of, in acute respiratory distress, 1046–1048
paralysis of, in thyroid disease, 491–492
ventricles of, everted, 862–863
Laser, for hemorrhage control, 1108
Lead, as toxin, effects and treatment of, 1135
ototoxicty of, 977
poisoning by, in pet rabbits, 61
Leishmaniasis, of nasal planum, 892–893
Lentigo simplex, of nasal planum, 894
Leukemia, feline, rhinitis in, 816
in guinea pigs, 85
Leukocyte adhesion deficiency, as primary immunodeficiency disease, 648
Leukocytosis, in immune-mediated hemolytic anemia, 1147
Levamisole, for pigeons, 170
Lichenoid dermatoses, and pinnal disease, 903
Life-threatening trauma, management of, **1057–1094**. See also *Trauma.*
Ligating-dividing stapler (LDS), 240–241
for cardiovascular surgery, 368–371
for pulmonary surgery, 336, 338
for splenectomy, 377
Ligation, for hemorrhage control, 1105–1106
Lincomycin, for pigeons, 168
Live traps, for wildlife, sources of, 214
Liver, hemorrhage of, surgical treatment of, 1112–1114
surgical stapling of, 379–386
hemorrhage in, 385
Lower motor neuron disease, in thyroid disease, 488–489
Lower urinary tract disease, immunologic aspects of, 759–761
Lubricants, for otitis externa, 934, 938
Lung. See also *Pulmonary surgery.*
lobectomy of, 342–345
mass in, removal of, 347–354
nodule of, metastatic, removal of, 354–359
wedge resection of, 342, 345–347
Lung sounds, in life-threatening trauma, 1073
Lupus erythematosus, of nasal planum, 888–889
Lycocyte cytotoxicity test, in gastrointestinal allergy diagnosis, 686
Lymph, composition of, 438
Lymphadenitis, cervical, in guinea pigs, 84
Lymphocyte transformation test, in immunodeficiency disease diagnosis, 642–643
Lymphocytic-plasmacytic enteropathies, allergic, 672–676
Lymphoma, cutaneous, of nasal planum, 891
Lymphosarcoma, in ferrets, 19–20
in guinea pigs, 85

Malassezia otitis externa, 939–940
Malignant melanoma, pharyngeal, 841–842
Malocclusion, in guinea pigs, 76–77
in pet rabbits, 49–51
Mammals, wild, concepts of veterinary practice in, **175–185**. See also *Wild mammals.*
Mammary glands, cystic, in pet rabbits, 59–60
tumors of, in guinea pigs, 84
Mass transfer rates, definition of, 465
Mast cell(s), in gastrointestinal allergy, 665
Mast cell saturation hypothesis, 666
Mast cell stabilizers, for atopic blepharitis/conjunctivitis, 718
Mast cell tumors, in ferrets, 15
Masticatory myopathy, 707–708
orbital cellulitis and, in dog, 730–731
Mastitis, 1181–1182
in pet rabbits, 59–60
Maxillary arteries, digital pressure on, 1102
Mebendazole, for pigeons, 168
Mediastinum, transection of, in pulmonary lobectomy, 339
Medical history, questions in, 1126
Medication, and contact irritation of conjunctiva, 716–717
Megacolon, acquired, in cat, appearance of, 326
surgical stapling of, 323–329
cecal access technique, 323–328
transanal technique, 328–329
Megaesophagus, in ferrets, 11
in thyroid disease, 492
surgical stapling of, 410

Meibomitis, severe, with marginal blepharitis, 720
Meningoencephalitis, and optic neuritis, 731–732
Mentation, in septic shock, 1238
Metabolic clearance rate, definition of, 465
Metabolism, disorders of, as secondary immunodeficiency diseases, 651
  inborn errors of, and seizures, 738
Metaldehyde, as toxin, effects and treatment of, 1135
Methimazole, for feline hyperthyroidism, 578–579
Methylxanthines, as toxins, effects and treatment of, 1135
Metoclopramide, for acute vomiting, 1204
Metritis, acute, 1180
Metronidazole, for pigeons, 169
Mice, diseases and treatments in, 97–98
Miconazole, for *Malassezia* otitis externa, 939
Milk, and allergic gastrointestinal response, 671
Minocycline, ototoxicity of, 975
Mites, and otitis externa, 910
Monkeys. See also *Primates*.
  bites and scratches by, first-aid for, 142
  transfer to squeeze cages, 130–132
Mucin clot test, for rheumatoid arthritis diagnosis, 699
Mucoceles, pharyngeal, 828–829
Mucolytic drugs, for viral feline rhinitis, 817
Mucosal immunity, in gastrointestinal allergy, 664–667
Mucosal integrity, in septic shock, 1241
Multiple organ dysfunction syndrome, 1226. See also *Septic shock*.
Murphy button, for bowel anastomosis, 227
Muscle disease, immune-mediated, **703–710**
Musculoskeletal disorders, in guinea pigs, 80–82
  in pet rabbits, 55–57
Musculoskeletal system, disorders of, with gastrointestinal allergy, 677
Mustelids, energy requirements of, 177
Myasthenia gravis, 703–707, 744–745
  clinical presentation of, 704
  diagnostic procedures for, 704–705
  differential diagnosis of, 705
  pathogenesis of, 704
  pathology of, 705
  prognosis in, 706–707
  therapy for, 706
  with thymic tumor, 773
Mycoses, deep, of nasal planum, 892
  in ferrets, 15
  superficial, in guinea pigs, 83
Myelopathy, progressive, in German Shepherd, 744
Myiasis, in pet rabbits, 47
Myocardial contractile protein synthesis, in hyperthyroidism, 497–498
  in hypothyroidism, 497
Myopathy, masticatory, 707–708, 730–731
Myxomatosis, in pet rabbits, 44

Nares, stenotic, sneezing and nasal discharge in, 808
Nasal crusting, in pet rabbits, differential diagnosis of, 42
Nasal discharge, in guinea pigs, 74–76
  sanguinopurulent, in mycotic canine rhinitis, 797
Nasal hemorrhage, 1120
Nasal neoplasia, canine rhinitis in, 791–793
  histologic analysis of, 793
  mycotic canine rhinitis vs, 799
  radiation therapy for, 793
  sneezing and nasal discharge with, 810
Nasal planum, **887–895**
  actinic dermatitis of, 891
  allergic contact dermatitis of, 893
  cutaneous lymphoma of, 891
  deep mycoses of, 892
  hyperkeratosis of, 894
  idiopathic depigmentation of, 890
  idiopathic sterile granuloma/cutaneous histiocytosis of, 893–894
  leishmaniasis of, 892–893
  lentigo simplex of, 894
  lupus erythematosus of, 888–889
  normal anatomy of, 887
  pemphigus complex of, 889
  response to disease, 887
  vasculitis-cold agglutinin disease of, 893
  vitiligo of, 890
  Vogt-Koyanagi-Harada-like syndrome of, 889–890
Nasopharyngeal polyps, 848–851
  surgical removal of, 850
Natural killer cells, in innate immunity, 633
Nebulization, for viral feline rhinitis, 817
Neomycin, for bacterial otitis externa, 935–937
Neoplasia, and canine rhinitis, 792
  and feline rhinitis, 821
  as secondary immunodeficiency disease, 651
  in ferrets, 16–21
  in hedgehogs, 119
  laryngeal, 868–868
  triiodothyronine concentrations in, 569
Nephrectomy, surgical stapling in, 391

Nephritogenic immune mechanisms, 750–751
Nephropathy, membranous, immune-mediated, 755–756
Nervous system, reactions of, in gastrointestinal allergy, 678
  sympathetic, effect of thyroid hormone on, 496–497
Neuroendocrine axis, interaction with immunity, 766
Neurologic diseases, in chinchillas, 109–110
  in pet rabbits, 60–61
  in primates, 151
Neurologic disorders, and acute vomiting, 1191
  in life-threatening trauma, algorithm for, 1083–1087
Neurologic manifestations, of allergy, **735–748**
  of thyroid disease, **487–494**
Neurologic signs, in ferrets, differential diagnosis of, 8, 16
Neuromuscular disorders, in gerbils, 100–101
  in rats, 97
Neutropenia, as primary immunodeficiency disease, 646–647
Neutrophil deficiencies, as primary immunodeficiency diseases, 649
Neutrophil dysfunction, with diabetes mellitus, 778
Neutrophil function test, in immunodeficiency disease diagnosis, 643
Nitric oxide, in sepsis, 1230
Nitrogen, negative balance of, systemic effects of, 1242
Nonsteroidal anti-inflammatory agents, as toxins, effects and treatment of, 1135
Nonthyroidal illness, effect on thyroid hormone concentrations, 522–523
Nose. See also under *Nasal*.
Nuclear medicine, of thyroid gland, **587–605**
Nutrition, diseases of, in primates, 149
  in septic shock, 1242–1243
Nystatin, for *Malassezia* otitis externa, 939
  for pigeons, 169

Obesity, effect on thyroid hormone concentrations, 522
Ocular allergy, definition of, 711
Ocular diseases, with underlying immunologic pathophysiology, 722–732
  episcleritis, 727–731
  optic neuritis, 731–732
  uveitis, 722–727
Ocular emergencies, prehospital first aid for, 1005
Oculocutaneous diseases, bullous, 721
Oncogenes, and thyroid tumors, in humans, 545–546
Oncotic pull, in septic shock, 1237
Open food challange, in gastrointestinal allergy diagnosis, 688–689
Ophthalmic disorders, in pet rabbits, 61–63
Opossum, energy requirements of, 177
  physiologic variables in, scaling of, 180
Optic neuritis, 731–732
Oral disorders, in rats, 96
Oral papilla, squamous cell carcinoma of, 843
Oral stage, of swallowing, 835–836
Orbital cellulitis, and masticatory myopathy, in dog, 730–731
Organ(s), preferred, in hypovolemic shock, 1018–1019
Organ systems, evaluation of, in acute vomiting, 1195
Organomegaly, in ferrets, 16–21
Ornithosis complex, in pigeons, 163
Oropharyngeal dysphagias, 835–839
Orthopedic problems, in nonavian wildlife, 197
Otitis externa, allergic, 942–943
  and concurrent otitis media, 947–948
  autoimmune diseases and, 912
  bacterial, antibiotic-resistant, second-line topical preparations for, 938
    antibiotic susceptibilities of, 936
    management of, 935–937
  causes of, 907
    climatic variations, 908–909
    ear canal conformation, 908
    ear canal maceration, 909
    excessive ear cleaning, 909
    perpetuating, 913–915
    predisposing, 907–909
    primary, 909–913
    systemic diseases, 909
  ceruminous, 943–944
  chronic, surgical management of, 959–960
  demodicosis and, 941
  diagnosis of, 922–925
    biopsy, 925
    culture and sensitivity testing, 924
    cytologic examination, 923–924
    physical examination, 922–923
    radiographic studies, 924–925
  ear mites and, 940–941
  foreign bodies and, 911
  hypersensitivity and, 911–912
  idiopathic inflammatory/hyperplastic, of Cocker Spaniel, 944

juvenile cellulitis and, 912–913
keratinization disorders and, 912
management of, **921–951**
cerumenolytics, 926–927
ear cleaning, 925, 929–931
flushing solutions, 926–929
follow-up on, 933–935
general principles, 925–935
surgery in, medical perspective on, 948–949
topical therapy for, 931–934
administration of, 933
antibiotics, 932
choice of, 933
nonsteroidal anti-inflammatory medications, 932–933
products for, 934
vehicles for, 933
overtreatment of, 946–947
parasites and, 910
pathophysiology of, common, 916–917
persistent, 915
proliferative, 944–945
Pseudomonas, 937–939
specific diseases in, management of, 935–948
swimmer's, 945
yeast infections and, 939–940
Otitis media, and otitis externa, concurrent, 947–948
persistent, 914
sneezing and nasal discharge with, 810
with nasopharyngeal polyps, 849
with ototoxicity, 971–972
Otobius megnini, and otitis externa, 910
Otodectes cynotis, and otitis externa, 910, 940–941
topical medications for, 941
Ototoxicity, **971–980**
agents causing, 973–977
anatomy and physiology in, 972
clinical signs of, 971
drug-induced, 973
Ovariohysterectomy, for uterine prolapse, 1184
Hemoclips for, 386
Oxygen, administration of, for anemia, 1144
in life-threatening trauma, 1072
in acute respiratory distress diagnosis, 1045–1046
Oxygenation, in septic shock, 1237–1238
Oxytetracycline, for pigeons, 171

Packed cell volume, evaluation for, in acute vomiting, 1196
Pain, control of, in septic shock, 1243
in life-threatening trauma, management of, 1083
Panalog, for allergic otitis externa, 942
Pancreas, autoimmune destruction of, 772
surgical stapling of, 378–380
Pancreatic beta cell tumors, in ferrets, 17–19
Pancreatitis, chronic relapsing, and diabetes mellitus, 772
Pannus formation, rheumatoid factor and, 698
Papillomatosis, viral, oropharyngeal, 844–845
Paracentesis/lavage, for abdominal hemorrhage diagnosis, 1108–1109
Paramyxovirus, in pigeons, 161
Parasites, and acute vomiting, 1191
in ferrets, external, 14–15
internal, 10–11
in guinea pigs, 82–83
in hedgehogs, 117–118
in pet rabbits, 45–49
in pigeons, 163–166
in primates, 143
infestations of, allergy vs, 666
and canine rhinitis, 803
and feline rhinitis, 821
and otitis externa, 910
nasal, sneezing and nasal discharge with, 810
Parathyroid glands, anatomy of, 608
Partial gastrectomy, for malignant gastric neoplasia, stapling instrument in, 285–286
Parturition, normal, 1173–1174
Pasteurella multocida infection, in pet rabbits, 41–43
Pemphigus complex, of nasal planum, 889
Penetrating trauma, life-threatening, 1058–1059
prehospital first aid for, 1004
Penicillin, for bacterial canine rhinitis, 795
Penicilliosis, and canine rhinitis, 797
Pericardial tamponade, surgical treatment of, 1117
Peripheral vascular injuries, 1118–1119
Peripheral vestibular disease, in thyroid disease, 489–490
Peritoneal lavage, diagnostic, for acute abdomen, 1213–1214
technique for, 1217
Peritoneum, contamination of, antibiotics for, 1214
Permethrin, for pigeons, 168
Pertechnetate, for thyroid scintigraphy, 588–589
Pet owners, first aid kit for, 998
Phacolytic uveitis, 727
Phagocyte, mononuclear, 1227

Phagocytic barriers, in innate immunity, 631
Pharmacokinetics, terminology of, 465–466
Pharyngeal disorders, **825–854**
  approach to, 825–828
  canine oral eosinophilic granuloma, 845–846
  diagnostics in, 826–828
  dysphagias, 835–839
  epulis, 844
  feline plasma cell stomatitis-pharyngitis, 846–848
  foreign bodies, 831–832
  mucoceles, 828–829
  nasopharyngeal polyps, 848–851
  nonmalignant proliferative diseases, 844–851
  pharyngitis, 830–831
  physical examination in, 826
  signalment and history in, 826
  soft palate defects, 832–835
  tonsillitis, 829–830
  tumors, 839–844
    fibrosarcoma, 843–844
    malignant melanoma, 841–842
    principles of diagnosis, therapy, and prognosis, 839–841
    squamous cell carcinoma, 842–843
  viral papillomatosis, 844–845
Pharyngeal stage, of swallowing, 836
Pharyngitis, 830–831
Pharyngoesophageal stage, of swallowing, 836
Pharynx, anatomy of, 825
  disorders of, **825–854**. See also *Pharyngeal disorders*.
Phenothiazine derivatives, for acute vomiting, 1204
Phenylbutazone, for rheumatoid arthritis, 701
Pigeons, **157–173**
  adenovirus in, 161
  bacterial infections in, 162–163
  formulary for, 166–172
  hemoproteus in, 165–166
  herpesvirus in, 160–161
  hexamita in, 166
  housing of, 158–159
  nutrition of, 159
  paramyxovirus in, 161
  parasitic diseases in, 163–166
  physiology and reproduction of, 157–158
  pox virus in, 162
  preventive medicine in, 159–160
  trichomoniasis in, 165
  viral diseases in, 160–162
Pin worms, in pet rabbits, 48
Pinna, alopecia of, 900–901
  canine eosinophilic folliculitis of, 898–899
  diseases of, **897–904**
  fly strike of, 900
  hematoma of, 897–898
  lacerations of, 958–959
  nodules of, 903
  proliferative thrombovascular necrosis of, 902
  surgery of, 954–960
  vasculitis of, 903–904
  wounds of, 958–959
Piperacillin, for pigeons, 169
Piperazine, for pigeons, 168
Pituitary hypothyroidism, canine, 474
Pituitary-thyroid hormone axis, physiology of, 432–436
Plasma, chemical composition of, 438
  transfusion with, for hematologic emergencies, 1166
    for hypovolemic shock, 1025–1026
Plasma cell stomatitis-pharyngitis, feline, 846–848
Plasmapheresis, for immune-mediated hemolytic anemia, 1151
Platelet(s), dysfunction of, drugs associated with, 1156
Platelet activating factor, in sepsis, 1230
Pleural effusion, and acute respiratory distress, 1050–1051
Pleural space, disorders of, and acute respiratory distress, 1049–1054
Plummer's disease, in humans, 546
Pneumatic canine antishock garment, external counterpressure with, 1104
Pneumonia, aspiration, with acute vomiting, 1193
  in pet rabbits, 55
  in primates, 149–150
Pneumothorax, and acute respiratory distress, 1050
Pododermatitis, in guinea pigs, 81–82
  ulcerative, in pet rabbits, 56–57
Poison, absorbed, elimination of, 1131–1132
Poisoning, **1123–1138**. See also *Toxicities*.
  prehospital first aid for, 1005–1006
  treatment of, 1127–1137
    algorithm for, 1128
    eliminating further absorption, 1127–1131
Polyarthritis, feline, 701
Polycystic kidneys, in ferrets, 12–13
Polydipsia, in pyometra, 1182
Polyhydroxidine complex, for otitis externa, 928–929
Polymorphonuclear cell, activated, 1228
Polymyxin B, for bacterial otitis externa, 936
Polyneuropathies, immune-mediated, 742–744

Polyps, inflammatory, sneezing and nasal discharge with, 810
Polyradiculoneuritis, acute, 742–743
  chronic progressive/relapsing, 743
Polyuria, in pyometra, 1182
Posterior paresis/paralysis, in pet rabbits, differential diagnosis of, 42
Povidone iodine, for otitis externa, 928
Pox virus, in pigeons, 162
Prednisolone, for glomerulonephritis, 756–757
Prednisone, for episcleritis, 729
  for immune-mediated hemolytic anemia, 1149
  for immune-mediated thrombocytopenia, 1157
  for myasthenia gravis, 745
  for rheumatoid arthritis, 700
  tapering of, recommendations for, 1150
Pregnancy toxemia, in guinea pigs, 79–80
Pressure cuffs, for hemorrhage control, 1103
Primaquine, for pigeons, 168
Primates, **121–156**
  abnormal behaviors in, 139
  Animal Welfare Act pertaining to, 125
  annual examination of, 130
  antimicrobials for, 144–148
  bites and scratches by, first-aid for, 142
  clinical chemistry reference values for, 135
  commercial diets for, 127
  common clinical problems of, 139–153
    dermatologic, 150–151
    endocrine diseases, 148–149
    gastrointestinal diseases, 139–148
    neurologic diseases, 151
    nutritional diseases, 149
    reproductive disorders, 151–152
    resources for practitioner treating, 140–141
    respiratory diseases, 149–150
    traumatic injuries, 151
    viral disease, 152–153
  feeding of, 127–128
  hematologic values for, 134
  herpes B virus in, 138
  housing for, 126–127
  identification of, 122–123
  infectious diseases of, 129
  laboratory values for, 133
  life history of, 124
  physical examination and restraint of, 128–132
  physiologic parameters of, 132
  preventive health care for, 132–139
  space requirements for, 125
  transportation resources for, 143
  tuberculin skin testing of, 132–136
  viral serology panels for, 133
Pringle procedure, to prevent liver hemorrhage, 380
Production rates, definition of, 465
Progressive myelopathy, in German Shepherd, 744
Prolactin, hypothyroidism and, 512–513
Proliferative bowel disease, in ferrets, 11
Propionibacterium acnes, and renal damage, 752
Propranolol, for feline hyperthyroidism, 580
Propylene glycol, ototoxicty of, 977
Propylthiouracil, for feline hyperthyroidism, 578
Prostatic cyst, surgical stapling in, 390
Protein, negative balance of, systemic effects of, 1242
Proteinuria, in glomerular disease, 755
Pruritus, food allergy and, 670
  in ferrets, differential diagnosis of, 8
  in gastrointestinal allergy, 660
Pseudomonas otitis externa, 937–939
Pulmonary capillary wedge pressure, in volume resuscitation, monitoring of, 1029
Pulmonary contusion, and acute respiratory distress, 1052
Pulmonary edema, and acute respiratory distress, 1052–1054
Pulmonary ligaments, dissection of, 339
Pulmonary parenchyma, disorders of, and acute respiratory distress, 1049–1054
Pulmonary surgery, stapling techniques in, **335–366**
  application of, 338–347
  case examples of, 347–361
  instrumentation, 336–338
  lobectomy, 338–339
    complications of, 342
Pulmonary thromboembolism, and acute respiratory distress, 1054
Pupils, examination of, in head trauma patient, 1086
Pyloric area, anatomy of, 292
Pyloroplasty, surgical stapling in, 288–291
Pyometra, 1182–1184
  surgical stapling in, 387
Pyrantel pamoate, for pigeons, 168
Pyrethrin, for pigeons, 168
Pyrethrins/pyrethroids, as toxins, effects and treatment of, 1136

Quarternary ammonium compounds, ototoxicity of, 976
Quinacrine, for pigeons, 167
Quinine, ototoxicty of, 977

Rabbits, pet, **25–65**
anesthesia for, 39
biological characteristics of, 25–27
castration of, 40
clinical approach to, 29–39
physical examination, 30–32
preventive medicine, 29–30
restraint, 30
techniques in, 32–37
blood collection, 32–34
drug therapy, 36–37
fluid therapy, 34–36
force-feeding, 37
urinalysis, 34
common diseases of, 41–63
bacterial infections, 41–43
cutaneous, 55–57
fungal, 45
gastrointestinal, 49–54
dental malocclusion, 49–51
diarrhea, 52–54
trichobezoars, 51–52
musculoskeletal, 55–57
neurologic, 60–61
ophthalmic, 61–63
parasitic, 45–49
cheyletiella, 46–47
coccidia, 48–49
ear mites, 45–46
encephalitozoonosis, 47–48
fleas, 47
myiasis, 47
pin worms, 48
reproductive, 58–60
respiratory tract, 54–55
urinary tract, 57–58
viral infections, 44–45
enucleation of, 41
general practice tips for, 37–38
hand-raising of, 60
housing of, 28
management of, 27–29
normal laboratory values for, 35
nutrition in, 28–29
ovariohysterectomy of, 40
physiology and reproduction of, 26–27
quality of, 27–28
sources of information on, 65
surgery for, 39–40
taxonomy of, 25–26
zoonotic diseases in, 38–39
Rabies virus, in ferrets, 16
Radiocontrast media, adverse reactions to, 754–755
Radioiodine, for thyroid disease, 600–604
feline hyperthyroidism, 600–603
tumors in dogs, 603–604
for thyroid scintigraphy, 588–589
Radiolabeled tracer, definition of, 465
Rapidly equilibrating tissues, definition of, 465
Rats, diseases and treatments in, 96–97
Red blood cell(s), aplasia of, with thymic tumor, 773
concentration of, in septic shock, 1239
transfusion with, for hematologic emergencies, 1165
Regurgitation, in ferrets, differential diagnosis of, 8
Renal/cystic calculi, in ferrets, 14
Renal damage, drug-induced, 752
Renal disease, immunologic aspects of, 749–750
Renal failure, contrast media and, 754
in pet rabbits, 58
triiodothyronine concentrations in, 569
Renal function, in septic shock, 1239–1240
Renal hemorrhage, surgical treatment of, 1115
Renal system, monitoring of, in toxicities, 1133, 1137
Renal transplantation, immunological aspects of, 757–759
Reproductive disorders, in hamsters, 99
in mice, 98
in pet rabbits, 58–60
in primates, 151–152
in rats, 97
in thyroid disease, **509–514**
Reproductive tract, female, emergencies of, **1173–1187**
surgical stapling of, 386–390
Reptiles, problems in, 198–199
Respiration, monitoring of, in toxicities, 1133
prehospital first aid for, 1000–1001
Respiratory disease(s), in chinchillas, 108
in ferrets, 8
in gastrointestinal allergy, 676–677
in guinea pigs, 74–76
in hedgehogs, 118–119
in mice, 98
in pet rabbits, 54–55
in primates, 149–150
in rats, 96–97
tracheostomy in, **873–886**
Respiratory distress, acute, **1041–1056**
breathing patterns and characteristics of, 1044
causes of, 1046–1054
airway obstruction, 1046–1049
thoracic conditions, 1049–1054
golden guidelines for, 1042
management of, algorithm for, 1044
drugs for, 1047
oxygen therapy for, 1045–1046
physical diagnosis of, 1041–1045
auscultation, 1045

hands-on examination, 1042–1045
visual observation, 1041–1042
ventilatory support for, 1054–1055
transport in, 1006
with permanent tracheostomy, 879
Respiratory emergencies, prehospital first aid for, 1002–1003
Respiratory tract, surgical stapling of, in small animals, 243
Resuscitation, in hypovolemic shock, **1015–1039**
of pups, following cesarean section, 1179
Retroperitoneal hemorrhage, surgical treatment of, 1114–1115
Reverse sneezing, 834–835
Reverse triiodothyronine (T_3), kinetics of, in nonthyroidal disorders, 452
normal, 443
peripheral metabolism of, in nonthyroidal disorders, 459–460
transfer and binding of, normal, 440
Rheumatic complaints, with gastrointestinal allergy, 677
Rheumatoid arthritis, **697–701**
criteria for, 700
Rhinitis, canine, **789–805**
allergic, 800–801
sneezing and nasal discharge with, 810
anatomy and physiology of, 789–790
bacterial, 794–795
dental-disease associated, 802
foreign-body associated, 801–802
hard palate defect and, 802–803
infectious, 794–800
mycotic, 797–800
neoplasia-associated, 792
parasitic, 803
patient evaluation in, 790–791
primary ciliary dyskinesia and, 803
specific disease processes and, 791–800
traumatic, 801–802
viral, 795–797
feline, **807–823**
allergic, 821
sneezing and nasal discharge with, 810
anatomy and physiology of, 807–812
bacterial, 820
with viral infection, 816–817
fungal, 818–820
infectious, 814–820
inflammatory, 821
neoplasia-associated, 821
parasitic, 821
patient evaluation in, 812–813
specific disease conditions in, 814–822
viral, 814–818
hematologic evaluation for, 816
secondary bacterial infection with, 816–817
treatment of, 816
in guinea pigs, 74–76
in pet rabbits, 54
Rhinoscopy, for mycotic canine rhinitis, 798
Rhinosporidiosis, and canine rhinitis, 800
Rodent(s), small, **89–102**
anesthesia and surgery for, 94–95
as pets, 89
caging of, 91
disease prevention in, 95
diseases and treatments in, 96–101
drug dosages for, 94
equipment and therapeutic agents for, 93–94
injection sites on, 94
nutrition and feeding of, 90
reproductive aspects of, 92–93
restraint of, 91–92, 182
sources of information on, 101
Rodenticides, poisoning with, vitamin K therapy in, 1162
Rommel tourniquet, for liver hemorrhage, 1113
Ronidazole, for pigeons, 167
Rose-Waaler test, for rheumatoid arthritis, 699
Rotavirus, in pet rabbits, 44
Roticulator Autosuture stapler, 260
Russian staplers, anastomotic, end-to-end bowel, 236
end-to-end vascular, 232
inverting gastrointestinal, 235
side-to-side gastrointestinal, 234
bronchial, 238
double-sliding, 233
magazine-loaded, 233
pulmonary vessel ligation, 237

Salicylates, ototoxicty of, 977
Saline, hypertonic, for hypovolemic shock, 1025
Saline cathartics, for poison elimination, 1131
Salt, for emesis, in poison elimination, 1129
Schirmer tear test, for keratoconjunctivitis sicca, 714
Schmidt's syndrome, 767–769
Scintigraphy, thyroid, 587–600. See also *Thyroid scintigraphy*.
Seborrhea, of ear margin, 899–900
Sedatives, for primates, 146–147
Seizures, behavioral changes accompanying, 738
case histories of, 739–740
causes of, 737

Seizures *(Continued)*
dietary additives and, 740–741
treatment of, 740
dietary, 738
with allergy, **735–748**
Selective IgA deficiency, as primary immunodeficiency disease, 643–644
Sepsis, cycle of, 1232
definition of, in small animals, 1226
evaluation for, in acute vomiting, 1195
mediators in, 1228
target cells in, 1227–1228
Septic shock, **1225–1247**
clinical manifestations of, 1230–1232
definition of, in small animals, 1226
diagnostic approach to, 1232–1233
surgical intervention for, 1244–1245
therapeutic approach to, 1233–1244
albumin, 1237
algorithm, 1235
blood pressure, 1236
check list, 1236
coagulation, 1238–1239
drug dosages/metabolism, 1241
electrolytes, 1238
fluid balance, 1234–1236
gastrointestinal motility and mucosal integrity, 1241
glucose, 1238
heart function, 1237
immune status, antibiotics, and white blood cell count, 1240–1241
mentation, 1238
nutrition, 1242–1243
oncotic pull, 1237
oxygenation/ventilation, 1237–1238
pain control, 1243
patient care, 1244
red blood cell/hemoglobin concentration, 1239
renal function, 1239–1240
Seroma, with lateral bulla osteotomy, 967
Serum clearance rate, definition of, 465
Serum half-life, definition of, 465
Severe combined immunodeficiency, X-linked, 645–646
Shock, evaluation for, in acute vomiting, 1195
septic, **1225–1247**. See also *Septic shock.*
Sialocele, pharyngeal, canine, 828
Side-to-side intestinal anastomosis, surgical stapling in, 309–320
Sinonasal neoplasia, canine rhinitis in, 792
Skin, eye and, diseases affecting, 717–722
poison absorption by, elimination of, 1127–1128
staple closure of, **413–423**
clinical use of, 419–420
staple formation and tissue holding by, 413–415
staplers for, 415–418
wound healing and infection with, 418
urticarial lesions of, 722
Skin disorders, in ferrets, 14–15
in gerbils, 100
in hamsters, 98–99
in mice, 97–98
in rats, 96
with food allergy, 670–671
Skin testing, in gastrointestinal allergy diagnosis, 684
Skin tumors, in guinea pigs, 83–84
Skull radiography, in head trauma patient, 1086
Slowly equilibrating tissues, definition of, 465
Small intestine, bacterial overgrowth of, allergic, 672
surgical stapling of, **305–322**
intestinal anastomosis, 305–320
bypass enteroenterostomy, 318–319
functional end-to-end, 311–314
with resection, 317–318
inverting end-to-end, 306, 308
mortality and complication rates, 320–321
offset, 314–317
side-to-side, 309–320
open lumina technique, 309–311
triangulating end-to-end, 306–307
Snakes, problems in, 199
Sneezing, reverse, 834–835
"Snuffling," in viral feline rhinitis, 815
Soft palate, defects of, 832–835
elongated, 833–834
enlarged, sneezing and nasal discharge in, 808
traumatic injury to, 833
Sorbitol, for poison elimination, 1131
Sore hocks, in pet rabbits, 56–57
Specific minimum energy cost, calculation of, 177
Spectinomycin, for pigeons, 167
Spherocytes, in immune-mediated hemolytic anemia, 1146
Spindle cell carcinoma, removal of, stapling technique for, 354–359
Spleen, surgical stapling of, 375–378
neoplasm, 377
removal, 375
Splenectomy, for immune-mediated hemolytic anemia, 1151
Splenic hemorrhage, surgical treatment of, 1114
Splenomegaly, in ferrets, 20–21
Spontaneous abortion, 1185

Squamous cell carcinoma, of nasal planum, 891–892
pharyngeal, 842–843
Squeeze cages, transfer of monkeys to, 130–132
Staff readiness, for emergencies, 1007
Staphylococcus aureus infection, in pet rabbits, 43
Staphyloma, intercalary, in dog, 730
Staple(s), absorbable, 248–250
copolymer resorbable, 261
titanium, 250
Stapling, for hemorrhage control, 1108
instrumentation for, **247–278**. See also *Surgical stapling, instrumentation for.*
of skin and fascia, **413–423**
staplers for, 415–418
Steady state, definition of, 465
Steroids, for circulatory support, in life-threatening trauma, 1080
Stick tying, for hemorrhage control, 1106–1107
Stomatitis, feline, 831
Stomatitis-pharyngitis, plasma cell, feline, 846–848
Subcapsular hematoma, hepatic, surgical treatment of, 1114
Subcutaneous mass, in pet rabbits, differential diagnosis of, 42
Sulfachlorpyridazine, for pigeons, 167
Sulfadiazine, for *Malassezia* otitis externa, 940
Sulfadimethoxine, for pigeons, 166
Sulfamethazine, for pigeons, 166
Sulfamethoxazole, for pigeons, 166
Sulfonamides, and renal damage, 752
effect on thyroid function in dogs, 523
Surgical stapling, **225–423**
for delayed gastric emptying procedures, 286–291
historical and veterinary perspectives of, **225–246**
in Billroth I gastroduodenostomy, 291–295
in Billroth II gastrojejunostomy, 295–300
in caesarean delivery, 389
in cardiovascular surgery, **367–374**. See also *Cardiovascular surgery.*
in esophageal surgery, **395–412**. See also *Esophageal surgery.*
in Finney pyloroplasty, 289–290
in Heinecke-Mikulicz pyloroplasty, 288–289
in hysterectomy, 388–389
in permanent gastrostomy tube placement, 300–301
in prostatic cyst, 390
in pulmonary surgery, **335–366**. See also *Pulmonary surgery.*
in Y-U antral flap advancement pyloroplasty, 290–291
instrumentation for, **247–278**
absorbable staples, 248–250
components of, 254
current, 247–252
development of, 228–230
in Soviet Union, 230–235. See also *Russian staplers.*
in United States, 235–241
beginning of, 235–238
US Surgical Corporation, 238–241
disposable, 250, 258–259
end-to-end anastomotic (EEA), 267–276. See also *End-to-end anastomotic (EEA) stapler.*
endoscopic clipping and stapling, 250–251
gastric surgery with, **279–303**
gastrointestinal anastomotic (GIA) stapler, 263–267. See also under *Gastrointestinal.*
in small animals, historical perspective on, 241–244
clinical studies of, 242–244
early use of, 241–242
invention and early evolution of, 225–230
laparoscopic, 276–277
ligating-dividing (LDS), 240–241. See also *Ligating-dividing stapler (LDS).*
market competition, 251–252
motivation for production, 228
multiple row application, 253–267
circular double row, 267–276
four, 262–267
two or three, 253–262
original, 239
proper use of, 252–253
reloadable, 250
reusable, 256–257
application of, 259–262
gastrointestinal anastomotic, 263–267
Roticulator Autosuture, 260
skin and fascia, 240, 277
staple dimensions of cartridges, 255
thoracoabdominal (TA), 259–262. See also *Thoracoabdominal (TA) stapler.*
titanium staples, 250
vascular, 274–275, 277
of large intestine, **323–333**. See also *Large intestine.*
of liver, 379–386
of pancreas, 378–380
of small intestine, **305–322**. See also *Small intestine.*
of spleen, 375–378
of urogenital tract, 386–391

Surgical stapling *(Continued)*
reproductive, 386–390
urinary, 390–391
oversewing of, 283
Surgical trauma pack, contents of, 1100
Swallowing, larygeal function during, 857
stages and physiology of, 835–836
Swimmer's otitis externa, 945
Sympathetic nervous system, effect of thyroid hormone on, 496–497
Systemic diseases, and otitis externa, 909
Systemic lupus erythematosus, of nasal planum, 889

T cells, functions of, 635–636
Tapazole, for feline hyperthyroidism, 578
Tear film, immunologic function in, 712
Telazol, for injured wildlife, 192
Telephone triage, for poisonings, questions to ask, 1124
Tenesmus, in lymphocytic-plasmacytic enteropathy, 673
Tetany, with bilateral thyroidectomy, 615
Thiabendazole, for mycotic canine rhinitis, 799
for *Otodectes cynotis* otitis externa, 940
Thoracentesis, in life-threatening trauma, 1074
Thoracoabdominal (TA) stapler, 259–262
for Billroth I gastroduodenostomy, 293
for Billroth II gastrojejunostomy, 298
for cardiovascular surgery, 370–372
for esophageal anastomosis, 400
for hepatocellular carinoma removal, 382
for pulmonary surgery, 336–337. See also *Pulmonary surgery.*
bronchoalveolar papillary carcinoma, 360–361, 364
lobectomy, 339–342
mass removal, 347–354
metastatic nodule, 354–359
spindle cell carcinoma, 354–359
for small intestinal anastomosis, 306–307, 314–317, 319–320
for splenectomy, 376
for vascular ring anastomosis, 373
Thoracotomy, for thoracic hemorrhage, 1117
for trauma-induced cardiopulmonary arrest, 1087–1092
Thrombocytopenia, as hematologic emergency, 1155–1158
in immune-mediated hemolytic anemia, 1147
screening tests for, 1160
with methimazole administration, 579
Thromboembolism, pulmonary, and acute respiratory distress, 1054
Thrombosis, as hematologic emergency, 1167–1168
Thrombovascular necrosis, proliferative, of pinna, 902
Thymic disorders, immunodeficiency-associated, 773–775
Thymic tumors, as autoimmune disorder, 773
Thymosins, thymus production of, 773
Thyrocytes, in feline toxic nodular goiter, 551–556
Thyroglobulin, circulating antibodies to, in hypothyroidism, 531–532
Thyroid-binding proteins, serum levels of, normal, 434
Thyroid function tests, diagnostic flowchart for, 520
for distinguishing hypothyroidism from nonthyroidal illness, 521–527
multiple, simultaneous analysis of, in hypothyroidism, 533–534
physiologic basis for, 516–517
selection criteria for, 519
specific, 519–536
Thyroid gland, adenocarcinoma of, in dog, prognosis in, 620
scintigraphy of, 598–599
adenoma of, in cat, exteriorization of, 611
removal of, 612–614
scintigraphy of, 593–597
surgical exposure of, 611
in dog, prognosis in, 620
anatomy of, 607–608
atrophy of, and canine hypothyroidism, 472
autonomy of, in humans, 544
biopsy of, in hypothyroidism, 534
carcinoma of, in cat, scintigraphy of, 592
in dog, cervical swelling with, 617–618
pertechnetate scans of, 619
prognosis in, 620
circulating stimulators of, evidence for and against, 557–559
disease of, epidemiology of, **477–486**
laryngeal paralysis in, 491–492
lower motor neuron disease in, 488–489
megaesophagus in, 492
neurologic manifestations of, **487–494**
peripheral vestibular disease in, 489–490
radioactive iodine therapy for, 600–604
reproductive manifestations of, **509–514**
dysfunction of, canine, free thyroxine measurement in, 526–527

effects on cardiovascular system, **495–507**
function of, in nonthyroidal disorders, 456–457
growth of, in humans, 542–544
heterogeneity of, in humans, 542
hyperplasia of, feline, scintigraphy of, 594–597
imaging of, in feline hyperthyroidism, 574–575
in hypothyroidism, 534
normal, in cats and dogs, 590
neoplasia of, and canine hypothyroidism, 472, 480–482
in dogs, scintigraphy of, 596, 598–599
nodules of, in humans, 544–546
nuclear medicine of, **587–605**
radionuclide uptake and imaging of, in hypothyroidism, 534
scintigraphy of, 587–600. See also *Thyroid scintigraphy.*
surgical therapy of, **607–621**
feline thyroidectomy, 610–617
general anesthesia for, 609–610
in dogs, 617–620
preoperative evaluation for, 609
tumors of, in cats, scintigraphy of, 590–596
in dogs, radioiodine for, 603–604
in humans, 544–546
Thyroid growth-stimulating immunoglobulins, in feline thyrotoxicosis, 558
Thyroid hormone(s). See also *Thyroxine (T_4); Triiodothyronine (T_3).*
actions of, 495–496
autoantibodies to, in canine hypothyroidism, 471–472
binding of, comparative aspects of, 516–517
in hypothyroidism, 529
in nonthyroidal disorders, 457
normal, 440
circulating antibodies against, in hypothyroidism, 532–533
clearance rates of, 441
effects on cardiovascular system, **495–507**
equilibrium of, 525
excess of, direct effect of, 500–504
in humans, 546
free, measurement of, in hypothyroidism, 524–527
methodology for, 527–536
analogue immunoassays, 527–528
direct dialysis, 528
tracer equilibrium dialysis, 527
kinetics of, normal, 443
species-specific differences in, 439–441
metabolism of, **431–466**
comparative aspects of, 517
in hyperthyroidism, 449–450
in hypothyroidism, 449–450
in nonthyroidal disorders, 450–460
physiology of, normal, 431–445
production and degradation rates of, 441–443
relationship to sympathetic nervous system and heart, 496–497
serum levels of, in feline hyperthyroidism, 567–570
in nonthyroidal disorders, 450–455
in cats, 455
in humans, 450–453
normal, 432–436
total mean residence times of, 441
transfer of, between vascular and extravascular sites, 436–441
normal, 440
Thyroid scintigraphy, 587–600
clinical considerations in, 589–590
indications for, 589–590
normal, in cat, 591
in dog, 592
preoperative, for feline hyperthyroidism, 581
radionuclides for, 587–589
with neoplasia, in dogs, 596, 598–599
Thyroidectomy, feline, 610–617
extracapsular, 613
for hyperthyroidism, 581–582
intracapsular, 614
postoperative hyperthyroidism with, 616–617
postoperative management of, 614–616
Thyroiditis, lymphocytic, and canine hypothyroidism, 469–472
as autoimmune disorder, 769
histologic findings in, 489
Thyroparathyroidectomy, L-thyroxine administration following, 448
Thyrotoxicosis, in hyperthyroidism, 504
serum thyroid hormone concentrations in, 568
Thyrotropin, assays for, 432
in feline hyperthyroidism, 574
in hypothyroidism, 529–530, 534–535
bovine preparations of, 530
in nonthyroidal disorders, 455–456
Thyrotropin-releasing hormone, stimulation test of, for hypothyroidism, 530–531
suppression test of, in feline hyperthyroidism, 572–574
thyrotropin response to, in nonthyroidal disorders, 455–456
L-Thyroxine, replacement in athyreosis, 445–449
absorption of, 447

L-Thyroxine *(Continued)*
dosages for, 446
metabolic effects of, 447–448
route of administration, 448–449
thyroxine kinetics following, 445–449
Thyroxine (T_4), biliary, fecal, and urinary excretion of, 444–445
binding of, normal, 440
distribution of, 438–439
free, in feline hyperthyroidism, 568–570
measurement of, 526–527
kinetics of, in nonthyroidal disorders, 452
normal, 443
species-specific differences in, 439–441
peripheral metabolism of, in nonthyroidal disorders, 457–459
production and degradation rates of, 442–443
serum concentrations of, in feline hyperthyroidism, 567
in hypothyroidism, 520–521
normal, 434
transfer of, between rapidly and slowly equilibrating tissues, 437
normal, 440
Tongue, squamous cell carcinoma of, 843
Tonsil(s), squamous cell carcinoma of, 843
Tonsillitis, 829–830
Topical medications, contact/irritant reactions to, and otitis externa, 945–946
Total mean residence time, definition of, 465
Total solids, evaluation for, in acute vomiting, 1196
Tourniquets, for hemorrhage control, 1103
Towel wrap, external counterpressure with, 1104
Toxic nodular goiter, feline, **541–565**. See also under *Goiter*.
Toxicities, **1123–1138**. See also *Poisoning*.
and acute vomiting, 1191
confirming diagnosis of, 1126–1127
food, definition of, 656
initial patient assessment in, 1125–1126
monitoring in, 1133–1137
owner management at home, 1124–1125
telephone triage for, 1123–1124
treatment of, algorithm for, 1128
Toxicoses, in nonavian wildlife, 198
Toxins, absorbed, elimination of, 1131–1132
bacterial, target cells for, 1227–1228
common, effects and treatment of, 1134–1136
Toxoplasmosis, and uveitis, in cat, 725
Tracer equilibrium dialysis, for free thyroid hormone measurement, 527
Trachea, obstruction of, in acute respiratory distress, 1048
Tracheal collapse, tracheostomy with, 876
Tracheobronchial rupture, and acute respiratory distress, 1050
Tracheomalacia, tracheostomy with, 876
Tracheostomy, in upper respiratory disease, **873–886**
permanent, 873–879
aftercare of, 877–878
complications of, 879
expectations in, 878–879
indications for, 873
technique of, 874–877
tube, 880–885
aftercare of, 883–884
cartilage excision in, 882
complications of, 884–885
cuffed vs cannulated, 882
decannulation in, 884
expectations of, 884–885
technique of, 880–883
tubes for, 881
Tracheotomy, in life-threatening trauma, 1071
Transfer rates, definition of, 465
Transforming growth factor-β, in acquired immunity, 638
Transfusion therapy, for hematologic emergencies, 1165–1167
Transport, first aid, and triage, **997–1014**
Transthyretin, serum concentration of, normal, 434
Trauma, and feline rhinitis, 821
emergency care of, **1249–1274**
injuries from, in primates, 151
life-threatening, **1057–1094**
algorithm for, 1067–1092
airway, 1068–1071
breathing, 1072–1075
cardiopulmonary arrest, 1088–1092
circulation, 1075–1083
entrance criteria for, 1067
overview of, 1067–1069
blunt, 1058
golden hour in, 1059–1060
kinematics of, 1057–1059
mortality factors in, 1060
neurologic disability in, algorithm for, 1084
patient assessment in, 1059
penetrating, 1058–1059
protocols for, 1066–1067
readiness for, 1063–1065
secondary survey and definitive care in, 1092
sequelae of, 1060–1063
teamwork in, 1065
triage in, 1066

nasal, sneezing and nasal discharge with, 810
Trauma area, in veterinary office, 1064–1065
Treatment errors, and persistent otitis externa, 915
Treponematosis, in pet rabbits, 44
Tresaderm, for allergic otitis externa, 942
Triage, **997–1014**
in life-threatening trauma, 1066
Triangulating end-to-end intestinal anastomosis, surgical stapling in, 306–307
Trichobezoars, in pet rabbits, 51–52
Trichomoniasis, in pigeons, 165
Triiodothyronine (T_3), biliary, fecal, and urinary excretion of, 444–445
binding of, normal, 440
distribution of, 438–439
free, in feline hyperthyroidism, 567–570
in hypothyroidism, 521
kinetics of, in nonthyroidal disorders, 452
normal, 443
species-specific differences in, 439–441
metabolism of, in nonthyroidal disorders, 459
normal levels of, 432–436
production and degradation rates of, 442–443
resin uptake of, in hypothyroidism, 529
suppression test of, in feline hyperthyroidism, 570–572
transfer of, normal, 440
Trimethobenzamide, for acute vomiting, 1204
Trimethoprim/sulfadiazine, for pigeons, 166
Tuberculin skin testing, of primates, 132–136
Tumor necrosis factor, in acquired immunity, 638
in sepsis, 1229–1230
Turtles, problems in, 198–199
Tylocin, for pigeons, 167
Typhlectomy, surgical stapling in, 318, 320
Tyzzer's disease, in pet rabbits, 43–44

Ungulates, wild, restraint/handling of, 182–183
Upper respiratory disease, tracheostomy in, **873–886**
Urinary problems, in guinea pigs, 78–80
in hamsters, 99
in mice, 98
in pet rabbits, 57–58
Urinary tract, diseases of, allergic- and immune-associated, **749–763**
disorders of, with gastrointestinal allergy, 677–678
surgical stapling of, 390–391
Urine protein, and renal histopathology, 755–756
Urogenital tract, surgical stapling of, 386–391
Urolithiasis, in ferrets, 14
in guinea pigs, 78–79
in pet rabbits, 57–58
Urologic syndrome, feline, autoimmune disease and, 761
Urticaria, in gastrointestinal allergy, 659
Uterine hyperplasia/adenocarcinoma, in pet rabbits, 58–59
Uterus, infection of, 1182–1184
prolapse of, 1182–1185
torsion of, 1180–1181
Uveitis, in cat, 723, 725–726
lens induced, 726–727
phacolytic, 727
treatment of, 722–723, 726
with underlying immunologic pathophysiology, 722–727
Uveodermatologic syndrome, in dog, 724–725
Uvula, swollen, in ferrets, differential diagnosis of, 8

Vaccination, history of, in feline rhinitis, 812
recommendations for, in primates, 137–138
Vancomycin, ototoxicity of, 975
Vascular access, in hypovolemic shock, 1023–1024
Vascular clips, for cardiovascular surgery, 367–368
operation of, 369
for splenectomy, 376
Vascular loops/clamps, for hemorrhage control, 1105
Vascular occlusion, time limits for, 1099
Vascular ring anastomosis, surgical stapler for, 372–374
Vascular stapler, 274–275, 277
Vasculitis, of pinna, 903–904
Vasculitis-cold agglutinin disease, of nasal planum, 893
Vasoactive amines, and adverse reaction to food, 669
Vasodilators, in hypovolemic shock, 1032
Vasopressors, in hypovolemic shock, 1032
Ventilation, in septic shock, 1237–1238

Ventilation *(Continued)*
positive pressure, in head trauma patient, 1087
Vertebral fracture, in pet rabbits, 56
Vestibular disease, in thyroid disease, 489–490
Veterinary practice, in wild mammals, **175–185**
Vincristine, for immune-mediated thrombocytopenia, 1158
Viral disease, in pet rabbits, 44–45
in pigeons, 160–162
in primates, 152–153
Viral infections, nasal, sneezing and nasal discharge with, 808–809
Vitamin(s), for primates, 148
Vitamin C deficiency, in guinea pigs, 80–81
in primates, 149
Vitamin D deficiency, in primates, 149
Vitamin K, for anemia, 1144
for anticoagulant rodenticide poisoning, 1162
Vitiligo, of nasal planum, 890
Vocal fold resection, for laryngeal disease, 866–868
Vogt-Koyanagi-Harada-like syndrome, of nasal planum, 889–890
Volume of distribution, definition of, 466
Volume replacement, for hypovolemic shock, 1024–1028
monitoring success of, 1028–1029
Vomiting, acute, **1189–1207**
adverse consequences of, 1191–1193
antibiotic therapy in, 1203
fluid therapy for, 1202–1203
initial evaluation in, 1193–1197
algorithm, 1199
emergency data base, 1196–1197, 1199
history, 1193–1194
laboratory tests, 1196–1197
physical examination, 1194–1196
management of, in stable patient, 1198–1201
in unstable patient, 1201–1202
pathophysiology and causes of, 1189–1192
severity of, categorization and management based on, 1197–1202
in ferrets, differential diagnosis of, 8
in lymphocytic-plasmacytic enteropathy, 673
von Petz instrument, for surgical stapling, 229–230
von Willebrand's disease, as hematologic emergency, 1158–1159
screening tests for, 1160

Wasting, in ferrets, differential diagnosis of, 8
Weakness, in ferrets, differential diagnosis of, 8
in thyroid disease, 488
Weck Hemoclip instrument, for surgical stapling, 384
White blood cell count, in septic shock, 1240–1241
Wild mammals, **175–185**
anesthesia for, 178–180
antimicrobial treatment regimens for, 178
energy requirements in, 177–178
inhalation anesthesia-ventilation for, 181–182
monitoring of, calculating data base for, 180–181
physiologic variables in, 180
restraint/handling of, 182–183
Wildlife. See also *Wild mammals.*
nonavian, clinical approach to, 189–194
chemical restraint and anesthesia, 191–194
history, 189
manual restraint, 190–191
triage, 190
common medical problems in, 194
diagnostics and therapy in, 194–201
neurologic assessment, 195–196
orthopedic problems, 197
physical examination and clinical pathology, 194
radiography, 194–195
supportive care and pain assessment, 196–197
surgery, 197–198
toxicoses, 198
emergencies with, **187–218**
telephone advice on, 188
equipment and supplies for, sources of, 213–216
euthanasia of, 202–203
infectious diseases in, 201–202
injectable drugs for, 192
limitations in treating, 188
necropsy of, 203–204
nonreleasability of, 203
orphaned, 199–201
placement in captivity, 204–205
special considerations in, 201–205
species and frequent presentations of, 189
useful references concerning, 206–212
vaccination of, 201–202
zoonoses in, 201–202
Wolverine, energy requirements of, 177
physiologic variables in, 180
Wound(s), healing of, 1250–1252
with skin and fascia stapling, 418
infection of, with skin and fascia stapling, 418

management of, 1252–1269
analgesia, 1270
bacterial biopsy, 1261
cleansing, 1253–1255
closure, 1260–1261
debridement, 1256–1259
drainage, 1263, 1266–1269
dressing, 1259–1263
lavage, 1255–1256
medical care, 1269–1270
nutrition, 1271
open, products for, 1264–1265
protection, 1252–1253
Wry neck, in pet rabbits, 60–61

X-linked severe combined immunodeficiency, 645–646
Xylazine, for injured wildlife, 192

Y-U antral flap advancement pyloroplasty, surgical stapling in, 290–291
Yeast infections, and otitis externa, 939–940
persistent, 913–914

Zinc, as toxin, effects and treatment of, 1136